SECTION-A B	OLOGY (1-60)	Q12) Hardy Weinberg	law operates on?
Q1) Cell drinking is exclus		a) Non-evolving p	-
a) Phagocytosis	b) Pinocytosis	b) Slow evolving	
c) Endocytosis	d) Exocytosis	c) Randomly evol	
		d) Fast evolving p	
Q2) During which phase of		012) Which of the fall.	wing is a poil-ilathanne?
chromosomes replica		- /	owing is a poikilotherm?
a) G_1 phase	b) G_2 phase	a) Catfish	b) Silverfish
c) S phase	d) G ₀ phase	c) Pigeon	d) All of the above
Q3) Resting membrane por	tential of a neuron is	Q14) Antibody 'A' and	'B' can be found in a person
approximately		having which of the	he following blood group?
a) -70 mV/-65mV	b) -70 μV	a) A	b) B
c) +70 µV	d) +70 mV	c) AB	d) O
Q4) During which stage of	cell cycle, crossing	Q15) Which of the follo	owing is phospholipid?
over take place?		a) Sphingomyelin	• • • •
a) Leptotene	b) Zygotene	c) Oleic acid	d) Prostaglandin
c) Pachytene	d) Diplotene		-, - 10000grunum
•	·	Q16) Which of the follo	owing is not a characteristic
Q5) Presence of mucous or	ver the skin of frog	feature of Cephal	-
is an adaptation for:		a) Presence of spe	
a) Buccal respiration		b) Absence of pair	
b) Cutaneous respirat		_	nord present extending from
c) Pulmonary respira		rostrum to tail	
d) None of the above			nuscles segmented into
	· 1 · ·	myotomes	
Q6) The differentiation of			
spermatozoa is called	las	Q17) Which national pa	ark is famous for 'Hangul'?
a) Spermatogenesis	-i	a) Kishtwar nation	1
b) Spermatocytogenesis		b) Hemis high alti	itude national park
c) Spermiogenesis		c) Dachigam natio	-
d) None of the above		d) Jim corbett nati	ional park
Q7) Which of the followin		O18) Which organelle i	s known as the powerhouse
by Plasmodium vivay		of the cell?	
a) Malaria	b) Chagas disease	a) Nucleus	
c) Scurvy	d) Sleeping sickness	b) Mitochondria	
(0) W(1, 1, -f (1, -	a alambana in dha an d	c) Endoplasmic re	eticulum
Q8) Which of the followin	C 1 I	d) Ribosomes	
primitive among bila			
a) Coelentrata	b) Porifera	Q19) Which of the follo	owing is not a STD (Sexually
c) Platyhelminthes	d) Annelida	transmitted diseas	•
Q9) Clitellum in earthworr	ns surrounds the	a) Chlamydia	b) HIV/AIDS
segments	ns surrounds the	c) Syphilis	d) Lupus
a) $12-14^{\text{th}}$	b) 14-16 th	, , , , ,	· 1
c) $16-18^{\text{th}}$	d) $13-15^{\text{th}}$	Q20) What is the full for	orm of ZIFT?
C/ 10-10	u) 15-15	a) Zygote Inter Fa	
O10) Curdling of milk in s	mall intestine occur due to	b) Zygote Intra Fa	
the action of			Fallopian Transfer
a) Rennin	b) Trypsin		Fallopian Transfer
c) Renin	d) Chymotrypsin		-
, - -	/ JJr~	Q21) Trisomy of 21 st ch	nromosome causes?
Q11) Which of the followi	ng gland performs both	a) Down syndrom	
endocrine and exocri	••	b) Turner syndron	ne
a) Pancreas	b) Hypothalamus	c) Klinefelter synd	
u) 1 uni 1 uni		d) Patau Syndrom	

SET-C			UG CET-2022
Q22) How can we perform DNA fingerprinting? a) PCR of DNA containing VNTR's		Q31) The most popular and system of classification	
b) Southern blotting us		a) Hutchinson	b) Bentham and Hooker
c) Both (a) & (b)	ing iti zi s	c) Bessey	d) De Candole
d) None of the above		<i>c)</i> <u>2</u> <i>c c c g</i>	
		Q32) What is the shape of ch	nloroplast in
Q23) Vaccines provides a) Active immunity	b) Passive immunity	Chlamydomonas?	h) Cainal
c) Both (a) & (b)	d) None of the above	a) Cup shaped c) Stellate	b) Spirald) Collar shaped
	d) None of the above	c) Stellate	u) Collai shapeu
Q24) Honey is rich in		Q33) Gymnosperms do not l	bear
a) Anti-oxidants	b) Vitamins	a) Seeds	b) Fruits
c) Minerals	d) All of the above	c) Cones	d) None of them
Q25) Where can we use reco	ombinant DNA	Q34) The principal compone	ents of xylem tissue
technology?		include	·
a) Crop improvement		a) Companion cells and	
b) Medicine developme		b) Fibres and sieve tub	
c) Industrial application	ns	c) Companion cells and	
d) All of the above		d) Tracheids and vesse	ls
Q26) Why is Gene therapy s cure?	till not a permanent	Q35) In dicots, there is a lay in-between the phloem	
a) It's very expensive	and difficult to perform	a) Protoxylem	b) Protophloem
b) The cells die after so	_	c) Vascular cambium	d) Differentiation zone
may need periodic i			
c) Virus sometimes eff		Q36) Potato belongs to whic	-
•	e sickness and other	a) Solanaceae	b) Liliaceae
diseases. d) All of the above		c) Asteraceae	d) Poaceae
d) All of the above		Q37) Vascular bundles are s	cattered in
Q27) Which of the following	y is not an ethical issue	a) Dicot Stem	b) Dicot root
regarding recombination		c) Monocot Stem	d) Algae
a) Gene pollution		, ,	
b) Superweed generation	on	Q38) Polyarch and exarch va	
c) Restriction of natura	l flow of gene pool	a) Dicot stem	b) Monocot stem
d) None of the above		c) Dicot root	d) Monocot root
Q28) Which of the following	g is known as the suicide	Q39) The minimum number	
bags of the cell? a) Ribosomes	b) Lysosomes	capable of acting coop	volve one molecule of O_2
c) Nucleosomes	d) Centrioles	-	ule of CO_2 is known as
	d) centroles	a) Quantum unit	b) Quantasome unit
Q29) In an ECG, which wav depolarization?	e represents 'ventricular	, =	d) Photochemical unit
a) P wave	b) QRS wave	Q40) In C4 plants, initially t	
c) T wave	d) None of the above		contact with mesophyll ines with phosphoenol
Q30) Sickle cell anemia is ca	•	pyruvic acid to form	
a) Point mutation in be		a) Malic acid	b) Aspartic acid
b) Point mutation in al	-	c) Oxaloacetic acid	d) Pyruvic acid
	n in beta globulin chain n in alpha globulin chain	(0.41) The engrance for $t_{\rm c} = V$	rah'a avala ara la astad in
	i in aipna giobuilli chaill	Q41) The enzymes for the K a) Matrix of the mitod	-
		b) Cristae of the mitod	
		c) Outer membrane of	
		d) Chloroplast	·

	UG CET-2022
Q52) In the DNA strand has ATTGCC, the mRNA f have?	•
a) UAACGG c) ATCGGG	b) ATTGCCd) UGGACC
 Q53) The accepted hypothes a) Conservative theory b) Dispersive theory c) Semi-conservative t d) Evolutionary theory 	heory
Q54) A Codon contains how	many nucleotides?
a) One c) Three	b) Two d) Four
Q55) Which of the following pioneer organisms on b	
	b) Lichensd) Mosses
Q56) If we combine all the e the earth, then it is calle a) Biome	•
c) Biosphere	d) Ecology

- c) Biosphere
- Q57) Which is an example of an ex-situ conservation of biodiversity?
 - a) Sacred groves b) Wildlife sanctuary
 - c) Seed bank d) National Park

Q58) Who is known as the Father of tissue culture?

- a) Bonner b) Laibach
- c) Haberlandt d) Gautheret
- Q59) Biofertilizers are

- a) Some bacteria and cyanobacteria
- b) Fertilizers formed by ploughing in green plants
- c) Fertilizers obtained by decay of dead plants
- d) Fertilizers prepared by mixing cattle dung with crop residues

Q60) Golden rice is a promising transgenic crop.

- When released for cultivation, it will help in
- a) Alleviation of vitamin-A deficiency
- b) Pest resistance
- c) Herbicide tolerance
- d) Producing fuel from rice

SECTION-A AGRICULTURE(1A-60A)

Q1A) Osteomalacia a disease of adult is caused due to deficiency of----

- a) Calcium
- b) Magnesium
- c) Fluorine
- d) Iodine

- a) Cleistogamy b) Homogamy c) Geitonogamy d) Xenogamy

Q45) The condition where some flowers never open

to ensure complete self-pollination is known as

- Q46) The process of double fertilization was demonstrated for the first time by
 - a) Zimmerman b) Nawaschin
 - c) Sherrington d) Naudin
- Q47) The lower most cell of the suspensor adjacent to the embryonal cell is known as
 - a) Ephiphysis b) Hypophysis
 - c) Paraphysis d) Periphysis
- Q48) The nucellus of ovule is surrounded by one or two cellular coats called
 - b) Lamellae a) Columella
 - d) Chalaza c) Integuments
- Q49) If a part of flower other than ovary is also involved in the formation of fruit, it is called as a) Parthenocarpic fruit b) Pseudocarpic fruit
 - c) True fruit d) Aggregate fruit
- Q50) Which of the following characteristic of pea plant was not used by Mendel in his experiments
 - b) Seed Shape a) Seed colour
 - d) Flower position c) Pod length
- Q51) Lack of independent assortment of two genes is due to
 - a) Recombination b) Crossing over
 - c) Linkage
- d) Repulsion

a) High water absorption

c) High rate of transpiration

b) Growing tips of the plant

Q44) The light-sensitive lettuce seeds that are

b) The PFr form is not affected

d) Germination does not take place

c) Germination takes place

imbibing are treated with red light followed

a) The Pr form is converted to the active PFr

c) Dead cells of the plant

Q43) The highest concentration of auxin is found in

b) Low root pressure

d) All of the above

a) Nodes of the plant

d) None of the above

by far red light:

form

UG	CET-	2022
00		2022

SET-C	
Q2A) The average nitrogen	±
a) 15% c) 18%	b) 16% d) 17%
C) 1070	d) 1770
Q3A) More commonly use	
nitrogen to crude particular nitrogen to crude nitrogen to crude particular nitrogen to crude nitrogen to	b) 4.25
c) 6.75	d) 6.25
Q4A) The most appropriat	ficient utilization is
a) 2:1	b) 4:1
c) 1:2	d) 1:4
Q5A) Daily water requirer	nent of a dairy cow is
influenced by	none of a daily cow is
a) Composition of	
b) Milk production	
c) Environmental td) All the above fa	1
,	
	ease of animals, caused by - b) Bacteria
c) Protozoa	d) All of these
c) 1101020 u	
Q7A) The pH range of goo	-
a) 3.8 to 4.4 c) 6.0 to 7.0	
C) 0.0107.0	u) None of these
Q8A) Price of a commodit	-
a) Positive correlat	
b) Negative correlationc) Depends on the	
d) No relationship	
Q9A) The net cultivated an	teo in India is
	b) 143 mha
,	d) 328 mha
Q10A) IVLP stands for	
a) Institute Village	Linkage Project
	ge Linkage Programme
c) Integrated Villa	
d) Institute Village	e Linkage Programme
Q11A) Contribution of agr	riculture to GDP is
a) 14%	b) 20%
c) 24%	d) 34%
Q12A) White revolution is	related to
a) Food grain prod	
b) Fish production	
c) Egg productiond) Milk production	1
a, min production	-

Q13A)		produce is fixed based
	on the recommendation	ons of
	a) NAFED	
	b) CACP	1.
	c) Ministry of Agricu	llture
	d) CCI	
Q14A)	The factors of produc	tion are
	a) Land and labour	
	b) Land, labour, capit	tal
	c) Land, labour, capit	al, management
	d) Land, labour, mon	ey, machine
0154		
QISA) ATMA stands for	
	a) Agriculture Technol	ology Management
	Agency	
	b) Agriculture Transf	Fer Model Assessment
	c) Agriculture Transf	er Management
	Assessment	
	d) Agricultural Touri	sm and Management
	Agency	
Q16A)	AMUL is a	
	a) Cooperative	b) Self-Help Group
	c) Company	d) Society
$O(17\Delta)$	Only one seller of pro	duct/service is
Q1711)		b) Perfect competition
	c) Monopsony	
	For hard, dry and stor	
	kind of plough is suita	
	a) Mould Board Plou	gh
	b) Disc Plough	
	c) Chisel Plough	
	d) Rotary Plough	
019A) Which is not a type o	f drought?
	a) Hydrologicalc) Biological	d) Socio-economic
Q20A)	Conservation tillage l	
	residue on the surface	
	a) <10%	b) 10-15%
	c) 15-25%	d) >30%
Q21A)	What is percentage of	carbon in wrought
*	iron?	-
	a) <1%	b) 1-2%
	c) 2-3%	d) >4%
022.43	Which is the largest -	roducer of suggestions in
χ^{22H}	which is the largest p	roducer of sugarcane in

the world? a) Australia

c) Brazil

Page 6 of 20

b) India d) China

UG	CET-2022

SET-C		UG CET-2022
	ort) wheel has 15 teeth and	Q35A) Which of the following is a Green Manure
	wheel has 60 teeth what is gear	Crop?
ratio?	1 \ 4 1	a) Daincha b) Potato
a) 1:4 c) 2:3	b) 4:1 d) 3:2	c) Barley d) Sesame
C) 2.3	u) 5.2	Q36A) For applying 100 kg of nitrogen, how much
	type of irrigation pumps are	
	pump b) Mixed flow pump	a) 310 kg b) 218 kg
c) Propeller p	ump d) Jet pump	c) 100 kg d) 146 kg
(0.025A) The metering (device is part of which	Q37A) "Silviculture" refers to cultivation of
agricultural im	-	a) Silkworm b) Trees
-	esher b) Mould Board Ploug	
c) Chaff Cutte	er d) Seed drill	
		Q38A) ADP to ATP change is called
Q26A) Which is not a tool?	manually operated weeding	a) Respiration b) Transpiration
a) Hand Hoe	b) Wheel Hoe	c) Photosynthesis d) Phosphorylation
,	ke d) Rotary Cultivator	Q39A) SRI is a technique used in
,	· ·	a) Cotton b) Rice
	on does not include	c) Wheat d) Maize
a) Digging	b) Flushing	$O(0, \Lambda)$ Direction in the first second sec
c) Overturning	d) Stirring	Q40A) Pink bollworm is a pest of a) Sugarcane b) Gram
Q28A) Equipment use	ed to apply	c) Cotton d) Jute
	sticides in dry form is known a	
a) Sprayer	-	Q41A) Khaira disease of rice can be controlled by
c) Duster	d) Sprinkler	spraying—
Q29A) Chaff cutter is	used for	a) Calcium bicarbonate
a) Cutting fodd		b) Calcium carbonatec) Calcium sulphate
c) Cane crushi		d) Zinc sulphate
	of a mould board plough is	Q42A) Which is a variety of Oat?
usually made o a) Mild steel		a) Kent b) Jaya
c) Soft steel	b) Forged steeld) Malleable steel	c) Pusa Giant d) Sonalika
c) Soft steel	d) Mancable steel	Q43A) The relative proportion of sand, silt and clay
	of Jammu and Kashmir UT	is called
	dependent on	a) Soil taxonomy
a) Industries	annertian	b) Soil water holding capacity
b) Electricity c) Agriculture		c) Soil structure
d) Tourism		d) Soil texture
		Q44A) Soil mulch is useful for
	f Jammu division of J&K UT a	a) Minimizing evaporation loss
a) Wheat, rajn		b) Improving fertility of soil
b) Wheat, mai c) Rice, cowp		c) Improving drainage
· · ·	and pearl millet	d) Improving soil structure
	-	e, mproving son surveine
	griculture University of India	Q45A) Growth of plants toward light is called
was establishe		a) Photoperiodism b) Photorespiration
a) Srinagar c) Kanpur	b) Ludhiana d) Pantnagar	c) Phototropism d) Photochromatism
c) Kanpur	u) i annagai	
Q34A) IRRI is located		
a) USA	b) Australia	
c) Philippines	d) India	

Q46A) A homozygous trait	in an organism is	Q56A) Biennial bearing i	is found in
defined as-	in an organism is	a) Pomegranate	
	of a trait in that organism	c) Mango	
	ame trait in two organisms	c) mango	d) Shape
	two different alleles in	Q57A) Which of the follo	owing is not a
that organism		leguminous veget	
	identical alleles in that		b) French bean
<i>'</i>	identical ancies in that	c) Cowpea	
organism		c) cowpea	u) Okia
Q47A) Which of the follow	ing were not taken into	058A) Central Potato Re	search Institute is located at-
accounts in Mendel'	•	a) Shimla	b) Srinagar
hybridization?	s experiments on	c) Meerut	d) Lucknow
a) Plant height and	flower position	-,	
b) Length of pods a		Q59A) Saffron is grown	mostly in the State/UT of
c) Flower colour an			lesh b) Jammu & Kashmir
d) Pod shape and po		c) Uttarakhand	
d) i od snape and po		c) Ottarakitaliu	d) Ottai Fladesh
Q48A) Which of the follow	ing crops have been	O(0) Microbial digastic	on occur in
	ercial cultivation in India?	Q60A) Microbial digestic	
a) Golden rice and I		a) Poultry c) Sheep	
b) Bt Maize and Bt	0 1	c) sneep	d) Horse
c) Bt cotton only			
d) Bt brinjal and Bt	cotton	SECTION-A MATH	IEMATICS(1B-60B)
-		O(1R) If <i>n</i> is an integer the	a = 1t [x]
Q49A) Conservation tillage		Q1B) If <i>n</i> is an integer, the a) $n - 1$	b) $n+1$
a) Soil			
c) Time	d) All of above	c) <i>n</i>	d) does not exist
	1 1' '1 '	Q2B) If the function $f: R$	$\rightarrow R$ is given by
Q50A) Concentration of car	rbon dioxide in	(x + a) i f x	r < 1
atmosphere is	1.) 250 mm	$f(x) = \begin{cases} x + a & 0 \\ 3 - x^2 & if \end{cases}$	$x \le 1$ x > 1 is continuous at
	b) 350 ppm	x = 1, then $a =$	$\lambda \ge 1$
c) 370 ppm	d) 400 ppm	$\begin{array}{c} x = 1, \ \text{then } u = \\ a) 1 \end{array}$	b) 2
Q51A) Which of the follow	ing is not a fruit	c) 3	d) 4
vegetable?	ing is not a mait	0,3	u) +
a) Tomato	b) Chilli	Q3B) Derivative of log ₁₀	x with respect to r^2 is
c) Potato	d) Brinjal		log_{10}^{e}
c) 1 stats	u) Dinijai	a) $2x^2 \log_e^{10}$	b) $\frac{\log_{10}e}{2x^2}$
Q52A) Botanical name of I	Damask rose is	c) $\frac{\log_{e}^{10}}{2\kappa^{2}}$	d) $x^2 log_e^{10}$
a) Rosa chinensis	b) Rosa damascena	$2x^{2}$	$d \neq t = d \neq t$
c) Rosa moschata	d) Rosa multiflora	O(1D) The graduated value	of Sin ³ u + Coo ³ u io
,	,	Q4B) The greatest value	
Q53A) Central Institute for	temperate horticulture	a) 1	b) 2
is located at		c) $\sqrt{2}$	d) $\sqrt{3}$
a) Pantnagar	b) Srinagar	C.	
c) Lucknow	d) Shimla	Q5B) If $f(x) = \frac{\sin x}{e^x}$ in	$[0, \pi]$, then $f(x)$:
	, ,	e	theorem but $f'\left(\frac{\pi}{4}\right) \neq 0$
Q54A) Which of the follow	ing State/UT is highest		
producer of apple in	India?		Rolle's theorem but
	h b) Jammu & Kashmir	$f'\left(\frac{\pi}{4}\right) > 0$	
,		(47)	theorem and $C = \frac{\pi}{4}$ so that
c) Uttarakhand	d) Uttar Pradesh		$\frac{1}{4}$ so that
OSSA) W7L: 1 041 011	······································	$f'\left(\frac{\pi}{4}\right) = 0$	
Q55A) Which of the follow	ing vegetable crop is	(47)	ges mean value theorem but
direct seeded?		$f'\left(\frac{\pi}{4}\right) \neq 0$	
a) Tomato	b) Onion	$\int \left(\frac{1}{4}\right) \neq 0$	
c) Chilli	d) Okra		
		1	

UG CET-2022

Q6B) The function $f(x) = 1 - x^3$ a) Increases everywhere b) Decreases in $(0, \infty)$ c) Increases in $(0, \infty)$ d) None of these Q7B) $\int \frac{\log (\tan x)}{\sin x \cos x} dx =$ a) $[\log_{e}(\tan x)]^{2} + C$ b) $\log(\log \tan x) + C$ c) $\frac{1}{2} [\log_e (\tan x)]^2 + C d) \log(\tan x) + C$ Q8B) $\int_0^{\pi} \cos^3 x \, dx =$ a) 0 b) 1 d) $\frac{1}{2\sqrt{2}}$ c) -1 Q9B) $\int_{0}^{a} \sqrt{a^{2} - x^{2}} dx =$ a) $\frac{1}{3} \pi a^{2}$ b) $\frac{1}{4} \pi a^{2}$ c) $\frac{\pi a^{2}}{2}$ d) πa^{2} Q10B) The area bounded by the curves y = 3x and $y = x^2$ (in square units) is a) 10 b) 5 c) 4 d) None of these Q11B) The order of the differential equation $\left[\frac{dy}{dx}\right]^3 + \left[\frac{dy}{dx}\right]^2 + y^4 = 0 \text{ is}$ c) 1 d) 3 Q12B) The solution of $\frac{dy}{dx} + y = e^x$ is a) $2y = e^{2x} + C$ b) $2y e^x = e^x + C$ c) $2y e^x = e^{2x} + C$ d) None of these a) $2y = e^{2x} + C^{ax}$ Q13B) If the centriod of the triangle formed by the points (0,0), $(\cos \theta, \sin \theta)$ and $(\sin \theta, -\cos \theta)$ lies on the line y = 2x then $\theta =$ a) $\tan^{-1}(2)$ b) $\tan^{-1}(-2)$ c) $\tan^{-1}(3)$ d) $\tan^{-1}(-3)$ Q14B) If 3,4 are intercepts of a line L = 0, Then the distance of L = 0 from the origin is b) $\frac{12}{5}$ a) 5 c) $\frac{5}{12}$ d) 12 Q15B) The other end of the diameter through the point (-1,1) on the circle $x^2 + y^2 - 6x + 4y - 12 = 0$ is b) (-7, -5) a) (-7,5)

c) (7, −5)

d) (7,5)

SET-C

Q16B) If x + y = k is a tangent to the parabola $y^2 = 12x$ then k =a) 9 b) -9 c) -3 d) 3

Q17B) If in a hyperbola, the distance between the foci is 10 and the transverse axis has length 8, then the length of its latusrectum is

a) 9
b)
$$\frac{9}{2}$$

c) $\frac{32}{3}$
d) $\frac{64}{3}$

Q18B) A point P moves so that sum of its distances from (-*ae*, 0) and (*ae*, 0) *is* 2*a*, then the locus of P is a) $\frac{x^2}{a^2} - \frac{y^2}{a^2(1-e^2)} = 1$ b) $\frac{x^2}{a^2} + \frac{y^2}{a^2(1-e^2)} = 1$

c)
$$\frac{x^2}{a^2} + \frac{y^2}{a^2(1+e^2)} = 1$$
 d) $\frac{x^2}{a^2} - \frac{y^2}{a^2(1+e^2)} = 1$
Q19B) If $x_1, x_2, - - - - -, x_{18}$ are observations
Such that
 $\sum_{18}^{18} (y_1, y_2) = 0$ and $\sum_{18}^{18} (y_2, y_3)^2 = 45$

 $\sum_{j=1}^{\infty} (x_j - 8) = 9 \text{ and } \sum_{j=1}^{\infty} (x_j - 8)^2 = 45,$ then the standard deviation of these observations is a) $\frac{3}{2}$ b) 5

c)
$$\sqrt{5}$$
 d) $\sqrt{\frac{81}{34}}$

Q20B) Mean of 100 items is 49. It was discovered that three items which should have been 60, 70, 80 were wrongly read as 40, 20, 50 respectively. The correct mean is a) 48 b) 50 c) 80 d) 40

Q21B) Which of the following is not a measure of central tendency

a) Mean	b) Median
c) Mode	d) Range

Q22B) A drawer contains 5 brown socks and 4 blue socks well mixed. A man reaches the drawer and pulls out 2 socks at random. The probability that they match is

probability	that they match h
<u>4</u>	, 5
a) $\frac{4}{9}$	b) $\frac{5}{9}$
-	_
c) $\frac{5}{8}$	d) $\frac{5}{12}$
⁽⁾ 8	u) 12

SET-C		
Q23B) Events A, B, C are mu	-	Q
such that $P(A) = \frac{3x+3}{3}$		
$P(B) = \frac{1-x}{4} \text{ and } P(C)$	T) = $\frac{1-2x}{2}$	
	es of x are in the interval	
a) $\left[\frac{1}{3}, \frac{1}{2}\right]$	b) $\left[\frac{1}{3}, \frac{2}{3}\right]$	Q
c) $\left[\frac{1}{3}, \frac{13}{3}\right]$	d) [0, 1]	-
Q24B) The Mean and Varian	ce of a random	
	inomial distribution are	
4 and 2 respectively t	2	Q
a) $\frac{1}{256}$	b) $\frac{3}{256}$	
c) $\frac{\frac{256}{9}}{256}$	d) $\frac{7}{256}$	
Q25B) A, B, C, D, E, F in th	nat order are the vertices	
	with centre origin. If the	Q
position vector of		V
$4\hat{i}+3\hat{j}-\hat{k}$ and $-3\hat{k}$	-	
respectively, then \overline{D} a) 7 î + 2 ĵ – 2 \hat{k}		
	d) $-4\hat{i} - 3\hat{j} + \hat{k}$	
Q26B) If $4 \vec{a} = 12 \vec{b} = 3 \vec{a} $	\vec{c} = 12 and	Q
	$\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a} =$	
a) -8	b) 8	
c) 13	d) –13	
Q27B) If $\hat{\imath} - \hat{k}$, $\times \hat{\imath} + \hat{\jmath} + (1$	$(-\lambda)\hat{k}$ and	
) \hat{k} are three co-terminal	
edges of a parallelepi depend on	ped, then its volume	
a) Only λ	b) Only μ	
c) Both \times and μ		
Q28B) The angle between the	e lines with direction	Q
ratios $(4, -3, 5)$ and		X
a) $\frac{\pi}{2}$	b) $\frac{\pi}{3}$	
a) $\frac{\pi}{2}$ c) $\frac{\pi}{4}$	b) $\frac{\pi}{3}$ d) $\frac{\pi}{6}$	
		Q
Q29B) If the foot of the perputo a plane is (1, 2, 2),		
of the plane is	then the equation	
a) $-x + 2y + 8z - 9$	= 0	
b) $x + 2y + 2z - 9 =$	= 0	
c) $x + y + z - 5 = 0$		Q
d) $x + 2y - 3z + 1 =$	= 0	

		UG CET-2022
Q30B)	The line $x-1 - y-2 - z^{-3} = z^{-3}$	to the alars
	$\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ mee	
	2x + 3y - z = -4 in	-
	a) (1, 2, 3)	b) $(-1, -1, -1)$
	c) (2, 1, 3)	d) (1, 1, 1)
Q31B)	b) $B = \{x : x \text{ is an } e$	0 and x is rational} ven prime number}
	c) $C = \{x : 3x < 5, x\}$	
	d) $D = \{x : x^2 = 25 c$	and x is an odd integer}
Q32B)	Hindi and 250 can s	persons, 550 can speak peak English, then the no can speak both Hindi
	a) 100	b) 200
	c) 300	d) 350
Q33B)	Let R be a relation on	the set N of natural
	numbers defined by $P = ((x, y) + x + 2y)$	
	$R = \{(x, y) : x + 2y \\ \text{then Pange of P is} \}$	$= \sigma, x \in N, y \in N$
	then Range of R is	$h \left(\begin{array}{c} 2 & 4 & 1 \end{array} \right)$
	,	b) {2, 4, 1}
	c) {3, 2, 1}	d) None of these
1	 R₂ = {(2,2), (3,1), R₃ = {(1,3), (3,3)} Then for the relations true? a) R₁ is reflexive but n transitive. b) R₂ is reflexive, symmetric and d) None of these 	R_1 , R_2 and R_3 which is neither symmetric nor nmetric but not d transitive
Q35B)		$by f(x) = x^2 + 4 \text{ then}$
	the pre-images of 40 u	
	a) ±5	b) <u>±</u> 6
	c) ±7	d) None of these
Q36B)	Let $f : R \to R$ and g two functions s.t for $gof(x) = Sin^2x$ the a) Sinx c) Sin x^2	$g(x) = Sin x^2$ and
027) 1	$f^{(1+i)^2}$ - a_{i} + ia_{i} then	
Q37)]]	$f \frac{(1+i)^2}{2-i} = x + iy \text{ ther}$ a) $-\frac{2}{5}$	i x + y =
	a) $-\frac{2}{2}$	b) $\frac{6}{5}$ d) $-\frac{6}{5}$
		´ 5
	c) $\frac{2}{5}$	d) $-\frac{b}{z}$
	5	5

SET-C Q38B) If 1, ω , ω^2 are the cube roots of unity, then Q46 $(1 - \omega + \omega^2)(1 - \omega^2 - \omega^4)(1 - \omega^4 + \omega^8)$ $(1 - \omega^8 + \omega^{16}) - - - -to 2n$ factors is b) 2²ⁿ a) 2*n* d) -2^{2n} c) 1 047 Q39B) Let "r" be a positive real number and "a" be a fixed real number, then $|x - a| \le r \Leftrightarrow$ a) $x \in (a - r, a + r)$ b) $x \in [a - r, a + r]$ c) x > a + rd) $x \ge a + r$ Q40B) The solution set of the inequation $\left|\frac{2}{x-4}\right| > 1, x \neq 4$ is a) 2 < x < 6 b) 2 > x > 6048 d) (2, 4) ∪ (4, 6) c) [2,6] Q41B) The solution set of the inequation 2x + y > 5 is a) Half plane that contains the origin. b) Open half plane not containing the origin. c) Whole xy-plane except the points lying on the line 2x + y = 5d) None of these Q42B) The point at which the maximum value of z = x + y, subject to the constraints $x + 2y \le 70, 2x + y \le 95, x, y \ge 0$ is obtained, is a) (30, 25) b) (35, 20) c) (40, 15) d) (20,35) Q43B) In a geometric progression (G.P) the ratio of the sum of the first three terms and first six terms is 125 : 152, then common ratio is b) $\frac{2}{5}$ a) $\frac{1}{5}$ c) $\frac{3}{5}$ d) $\frac{4}{r}$ Q44B) If Pth term of an A.P is q and the qth term is P, then the 10th term is a) P - q + 10b) P + q + 11c) P + q - 9d) P + q - 10Q45B) The number of permutations of 4 letters that can be made out of the letters of the word "EXAMINATION" is a) 2454 b) 2452 c) 2450 d) 2448

	UG CET-2022
(1-x) ⁻² is	in the expansion of
a) r	b) <i>r</i> + 3
c) <i>r</i> + 1	d) <i>r</i> − 1
(B) If $C_0, C_1, C_2,$ bi-nomial coefficients	
$(1+x)^n$, then $C_0 + \frac{C_1}{2} + \frac{C_2}{3} +$	$-+\frac{C_n}{n+1} =$
a) $\frac{2^{n+1}-1}{n+1}$	b) $\frac{2^n-1}{n}$
c) $\frac{2^{n-1}-1}{n-1}$	$d)\frac{2^{n+1}-1}{n+2}$
B) On a railway route the number of tickets requestion may be possible to be	uired in order that it

every station to	every other is
a) $\frac{15!}{2!}$	b) 15 !
c) $\frac{\frac{15!}{13!}}{\frac{15!}{13!}}$	d) $\frac{15!}{13!2!}$

Q49B) If $x \sin\theta = y \cos\theta = \frac{2 Z \tan\theta}{1 - \tan^2\theta}$, then $4z^2(x^2 + y^2) =$ a) $(x^2 + y^2)^3$ b) $(x^2 - y^2)^2$ c) $(x^2 + y^2)^2$ d) $(x^2 - y^2)^3$

Q50B)
$$tan25^{0} + tan20^{0} + tan25^{0} tan20^{0} =$$

a) 1 b) 2
c) 3 d) 4

Q51B) If
$$Cos x = 3 cos y$$
, then $2 tan \frac{y-x}{2} =$
a) $Cot \left(\frac{x+y}{2}\right)$ b) $Cot \left(\frac{x+y}{4}\right)$
c) $Cot \left(\frac{y-x}{2}\right)$ d) $Cot \left(\frac{y-x}{4}\right)$

Q52B) If $Cos \ x \neq -\frac{1}{2}$, then the solutions of $Cos \ x + Cos \ 2x + Cos \ 3x = 0 \ are$ a) $2n\pi \pm \left(\frac{\pi}{4}\right), n \in Z$ b) $2n\pi \pm \left(\frac{\pi}{3}\right), n \in Z$ c) $2n\pi \pm \left(\frac{\pi}{6}\right), n \in Z$ d) $2n\pi \pm \left(\frac{\pi}{2}\right), n \in Z$

Q53B)
$$Tan^{-1}\frac{x}{\sqrt{a^2-x^2}} =$$

a) $2 Sin^{-1}\frac{x}{a}$ b) $Sin^{-1}\frac{2x}{a}$
c) $Sin^{-1}\frac{x}{a}$ d) $Cos^{-1}\frac{x}{a}$
Q54B) The solution of $tan^{-1} 2\theta + tan^{-1} 3\theta = \frac{\pi}{4}$ is
a) $\frac{1}{\sqrt{6}}$ b) $\frac{1}{\sqrt{3}}$
c) $\frac{1}{3}$ d) $\frac{1}{6}$

1 1 01 Q55B) If $\begin{vmatrix} 2 & 0 & 3 \end{vmatrix} = 29$, Then x is [5 -6 x]a) 4 b) 3 c) 2 d) 1 Q56B) If $A = \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ then $A^{-1} =$ a) 2*A* b) *A* c) – A d) 1 Q57B) If $x \begin{bmatrix} -3 \\ 4 \end{bmatrix} + y \begin{bmatrix} 4 \\ 3 \end{bmatrix} = \begin{bmatrix} 10 \\ -5 \end{bmatrix}$, then a) x = 2, y = -1b) x = 22, y = 1c) x = -9, y = 10d) x = -2, y = 1Q58B) Let A be a square matrix and A^{T} be its transpose, then $A + A^{T}$ is a) The identity matrix b) A diagonal matrix c) A symmetric matrix d) A skew-symmetric matrix Q59B) The systems of equations 3x - y + 4z = 3x + 2y - 3z = -2 has at least one solution, if $6x + 5y + \lambda z = -3$ a) $\lambda = 5$ b) $\lambda = -5$ d) $\lambda = -3$ c) $\lambda = 3$ Q60B) The value of $\begin{vmatrix} \log_5^{729} & \log_3^5 \\ \log_5^{27} & \log_9^{25} \end{vmatrix} \cdot \begin{vmatrix} \log_3^5 & \log_{27}^5 \\ \log_5^9 & \log_5^9 \end{vmatrix}$ is a) $\log_3{}^5 \cdot \log_5{}^{81}$ b) \log_5^9 c) 6 d) 0 **SECTION-B PHYSICS (61-120)** Q61) An object of mass 3kg at rest. Now a force of $\vec{F} = 6t^2\hat{\imath} + 4t\hat{\imath}$ is applied on the object, then velocity of object at t= 3s is: $18\hat{i} + 6\hat{j}$ a) $18\hat{i} + 3\hat{j}$ b) 18i + 6jc) $3\hat{i} + 18\hat{j}$ d) $18\hat{i} + 4\hat{i}$ Q62) A mass of 1Kg is thrown up with a velocity of 100m/s. After 5 sec, it explodes into two

parts. One part of mass 400mg comes down with a velocity of 25 m/s. The velocity of other part is: (Take $g = 10m/s^2$)

a) 40m/s b) 80m/s

c) 100m/s d) 60m/s

				UG CE1-2022	
Q63)	At	block of mass 10kg p	lace	d on rough	
	hor	horizontal surface having coefficient of			
	fric	tion $\mu=0.5$, if the hor	rizoi	ntal force of	
		N acting on it, then			
		ck will be			
		10m/s^2	b)	5m/s^2	
		15m/s^2	d)	0.5m/s^2	
	•)	10111.5	<i>u)</i>	0.0111,5	
Q64)	A s	shell of mass 200gm	is ej	ected from a gun of	
		ss 4 Kg by an explos			
		5KJ of energy. The i			
		ll is:			
			h)	120m/s	
		100m/s		80m/s	
	С,	10011/5	u)	0011/ 5	
065)	The	e potential energy of	a lo	ng spring when	
X ,		etched by 2 cm is U.			
		etched by 8 cm, the p			
		red in it is:	oten	itiai energy	
		U/4	h)	4U	
	· ·	8U		40 16U	
	0)	80	u)	100	
Q66)		vo identical balls A a 0.5m/s and 0.3m/			
		stically in one dim			
		B and A after the			
		l be			
		-0.5m/s and 0.3m/s	,		
		0.5m/s and -0.3m/s			
		-0.3m/s and 0.5m/s			
		0.3m/s and 0.5m/s			
	u)	0.511/5 and 0.511/5			
067)	If t ¹	he magnitude of sum	ofi	two vectors is equal	
Q07)		he magnitude of diff			
		-			
	a)	angle between these 45°	b)	180°	
				90°	
	c)	0	u)	90	
068)	The	e particle has initial	velo	city $(3\hat{\imath} + 4\hat{\imath})$ and	
Q 00)		s acceleration $(0.4\hat{i})$		•	
		sec is:	1 0.	5)). Its speed after	
		7 units	b)	$7\sqrt{2}$ units	
	· ·			10 units	
	C)	8.5 units	a)	10 units	
060)	Th.	a horizontal ranga a	nd +1	ha maximum haight	
Q09)		e horizontal range an			
		the projectile are equivation of main tile		The angle of	
	-	ojection of projectile		0 -1(4)	
	a)	$\theta = \tan^{-1}(1/4)$	b)	$\theta = \tan^{-1}(4)$	

c) $\theta = \tan^{-1}(2)$ d) $\theta = 45^{\circ}$

Q70) \vec{A} and \vec{B} are two vectors and θ is the angle between them, if $|\vec{A} \times \vec{B}| = \sqrt{3} (\vec{A} \cdot \vec{B})$, the value of θ is

- a) 45° b) 30°
- c) 90° d) 60°

SET-C
Q71) A rod of length 3cm and its mass per unit
length is directly proportional to the distance
x from one of its ends then its centre of
gravity from that end will be
a) 1.5m b) 2m
c) 2.5m d) 3m
Q72) The moment of Inertia of a disc of mass M and radius R about an axis, which is tangential to the circumference of the disc and parallel to its diameter is: a) $\frac{5}{4}$ MR ² b) $\frac{1}{2}$ MR ²

- c) $\frac{3}{2}$ MR² d) $\frac{4}{5}$ MR²
- Q73) Which of the following have the same dimensions as planks constant?
 - a) Moment of Momentum
 - b) Moment of force
 - c) Momentum/distance
 - d) Force/distance

Q74) A body under the action of a force

 $\vec{F} = 6\hat{\imath} - 8\hat{\jmath} + 10\hat{k}$ acquires an acceleration of 1m/s^2 . The mass of this body must be:

- a) 10 Kg b) 20 Kg
- c) $10\sqrt{2}$ Kg d) $2\sqrt{10}$ Kg
- Q75) If Energy (E), Velocity (V), and Time (T) are chosen as the fundamental quantities. The dimensional formula of Surface Tension is: a) $[E V^{-2} T^{-1}]$ b) $[E V^{-1} T^{-2}]$ c) $[E V^{-2} T^{-2}]$ d) $[E^{-2} V^{-1} T^{-3}]$
- Q76) The force between the two charges is 240N. If the distance between the charges is doubled, the force will be
 - a) 60N b) 90N c) 120N d) 160N
- Q77) What will be the flux coming out of any surface a cube, if a change QµC is placed at the centre of the cube?

a)
$$\frac{Q}{6\varepsilon_0} \cdot 10^{-3}$$
 b) $\frac{Q}{24\varepsilon_0}$
c) $\frac{Q}{8\varepsilon_0}$ d) $\frac{Q}{6\varepsilon_0} \cdot 10^{-6}$

- Q78) What does an electric dipole experience when it is kept in the non-uniform electric field?
 - a) Only a force
 - b) Only torque
 - c) Force and torque both
 - d) Neither force nor torque

- Q79) The capacitance of the capacitor is independent of
 - The charges present on the plate a)
 - The distance of separation between the b) plates
 - The shape of the plates c)
 - d) The size of the plates
- Q80) Consider two capacitances of capacity C_1 and C₂ which are connected in series and have potential difference V. What is the potential difference across C_1 ?

a)
$$\left(\frac{C_1}{C_1+C_2}\right).V$$
 b) $\left(\frac{C_1+C_2}{C_1}\right).V$
c) $\left(\frac{C_2}{C_1}\right).V$ d) $\left(\frac{C_2}{C_1+C_2}\right).V$

- Q81) The resistivity of certain metals or alloys drops to zero when they are cooled below a certain temperature, this phenomenon is known as
 - a) Conductivity
 - b) Partial conductivity
 - c) Superconductivity
 - d) Non-conductivity
- Q82) In a Wheatstone bridge if the battery and galvanometer are interchanged then the deflection in galvanometer will
 - a) change in previous direction
 - b) not change
 - change in opposite direction c)
 - d) none of these.
- Q83) When a straight conductor is carrying current:
 - There are circular magnetic field lines a) around it
 - b) There are magnetic field lines parallel to the conductor
 - There are no magnetic field lines c)
 - d) None of the above
- Q84) The magnetic field inside a long straight solenoid carrying current:
 - a) Is zero
 - b) Decrease as we move towards its end
 - c) Is same at all points
 - d) Increase as we move towards its end
- Q85) For which of the following is magnetic susceptibility negative?
 - a) Paramagnetic and Ferromagnetic materials
 - b) Paramagnetic Materials only
 - Ferromagnetic Materials only c)
 - d) **Diamagnetic Materials**

 Q86) What is the need for laminating the core of a transformer? a) To reduce the resistance in the winding b) To reduce the eddy currents c) To reduce the hysteresis d) None of the above 	Q93) If a body of mass m is taken out from a point below the surface of earth equal to half the radius of earth, R, to a height R above the earth's surface, then work done on it will be
b) To reduce the eddy currentsc) To reduce the hysteresis	radius of earth, R, to a height R above the
b) To reduce the eddy currentsc) To reduce the hysteresis	
c) To reduce the hysteresis	cutif 5 surface, then work done on it will be
	a) (5/6) mgR b) (6/7) mgR
	c) (7/8) mgR d) (8/9) mgR
Q87) A magnet is moved towards a coil (i) quickly	Q94) A body of mass 1 kg is attached to one end of a
(ii) slowly, then the induced e.m.f. is	wire and rotated in horizontal circle of diameter
a) larger in case (i)	40 cm with a constant speed of 2 m/s. what is
b) smaller in case (i)	the area of cross-section of the wire if the
c) equal to both the cases	stress developed in the wire is $5 \times 106 \text{ N/m}^2$?
d) larger or smaller depending upon the	a) 2 mm^2 b) 3 mm^2
radius of the coil	c) 4 mm ² d) 5 mm ²
Q88) Electromagnetic waves are produced by	Q95) In a wire, when elongation is 2 cm energy
a) A static charge	stored is E. if it is stretched by 10 cm, then
b) An accelerated charge	the energy stored will be
c) A moving charge	a) E b) 2 E
d) Charged particles	c) 20 E d) 25 E
Q89) The direction in which electromagnetic waves	Q96) A rocket is fired from the earth to the moon.
propagate is the same as that of	The distance between the earth and the moon is
a) $\vec{E} \times \vec{B}$ b) $\vec{B} \times \vec{E}$	r and the mass of the earth is 81 times the
c) \vec{E} d) \vec{B}	mass of the moon. The gravitational force on
	the rocket will be zero, when its distance from
Q90) The ratio of the amplitude of the magnetic	the moon is
field to the amplitude of the electric field	a) r/5 b) r/10
for electromagnetic wave propagation in	c) r/15 d) r/20
a vacuum is equal to	
a) Unity	Q97) A body has weight W on the ground. The work
b) Speed of light in vacuum	which must be done to lift it to a height equal
c) Reciprocal of the speed of light in vacuum	to the radius of earth R is
d) The ratio of magnetic permeability to	a) Equal to W X R
electrical susceptibility in a vacuum.	b) Greater than W X R
Q91) A missile is launched with a velocity less than	c) Less than W X R
the escape velocity. The sum of its kinetic and	d) Cannot be estimated
potential energy is	
a) Positive	Q98) A Carnot engine uses first an ideal
b) Negative	monoatomic gas (γ =5/3) and then an ideal
c) Zero	diatomic gas ($\gamma = 7/5$) as its working
d) may be positive or negative	substance. The source and sink temperatures are 411 °C and 69 °C respectively and the
Q92) The point at which the gravitational force	engine extract 1000 J of heat from the source
acting on any mass is zero due to the Earth	in each cycle. Then,
and the Moon system is (The mass of the Earth	a) the efficiencies in the two engines are in the
is approximately 81 times the mass of the	ratio 21:25.
Moon and the distance between the Earth and	b) the area enclosed by the P-V diagram in the
the Moon is 3,85,000km.)	first case only is 500J.
a) 36,000 km from the moon.	c) the area enclosed by the P-V diagram in the
b) 38,500 km from the moon.	both cases is 500J.
	d) the heat energy rejected by the engine in the
c) 34,500 km from the moon.	

SET-C
Q99) Heat is absorbed by a body but its temperature
does not rise. Which of the following statement
explains the phenomenon
a) Only K.E. of vibration increases.
b) Only P.E. on inter molecular force changes
c) No increase in internal energy takes place


d) Increase in Kinetic energy is balanced by decrease in potential energy.

Q100) Two chambers, one containing m1 gm of a gas at P1 pressure and other containing m2 gm of a gas at P2 pressure, are put in communication with each other. If temperature remains constant, the common pressure reached will be

- a) $\frac{P1 P2 (m1+m2)}{P2 m1+P1 m2}$ b) $\frac{m1 m2 (P1+P2)}{P2 m1+P1 m2}$ c) $\frac{P1 P2 m1}{P2 m1+P1 m2}$ d) $\frac{P2 m1 m2}{P2 m1+P1 m2}$
- Q101) At a given temperature and pressure 64 gm of Oxygen and X gm of H₂ occupy the same volume. Then X=gm
 a) 1
 b) 2
 - c) 3 d) 4
- Q102) A closed hollow insulated cylinder is filled with gas at 0^{0} C and also contains an insulated piston of negligible weight and negligible thickness at the middle point. The gas at one side of the piston is heated to 100^{0} C. If the piston moves 5cm, the length of the hollow cylinder is
 - a) 13.65 cm b) 27.3 cm
 - c) 64.6 cm d) 54.6 cm
- Q103) Two simple Harmonic Motions of angular frequency 100 and 1000 rad S^{-1} have the same displacement amplitude. The ratio of their maximum accelerations is:

a)	$1:10^{3}$	b) $1:10^4$
c)	1:10	d) $1:10^2$

Q104) If a positively charged pendulum is oscillating in a uniform electric field as shown in figure. Its time period of SHM as compared to that when it was uncharged.



- a) Will increase
- b) Will decrease
- c) Will not change
- d) Will first increase then decrease

Q105) Three waves of equal frequency having amplitudes 10 mm, 4 mm and 7 mm arrive at a given point with successive phase difference $\frac{\pi}{2}$. The amplitude of the resulting wave (in mm) is given by:


> a) 7 b) 6 c) 5 d) 4

Q106) Which of the following is true about light?

- I It is electromagnetic wave
- II It does not propagate in vacuum
- III Its maximum speed is approximately 3×10^8 m/s
 - a) I only b) I and II only
 - c) I and III only d) I, II, and III

Q107) The speed of light in a certain material is 50% of its speed in vacuum. What is the refractive index of the material?

- a) 1.5 b) 0.5 c) 6.0 d) 2
- Q108) Parallel rays of light strike a convex lens. Which of the following diagrams show what happens to the rays when they strike the



- Q109) An object of height 10 cm is placed 50 cm in front of a bi-convex lens with a focal length of 20 cm. Which of the following is true about the image?
 - I The image is virtual
 - II The image is situated on the opposite side as the object
 - III The image is inverted
 - b) I and II only
 - c) II and III only d) II only

Q110) For an object in front of a plane mirror, which of the following about its images is (are) true?

I The image is real

a) I only

- II The image is upright
- III The height of the image is twice the image of the object
 - a) I, II and III b) I and II only
 - c) II only d) I and III only

UG CET-2022

SET-C	
 Q111) What is the de Broglie wavelength of an electron which is accelerated through a potential difference of 10 kV. a) 0.1227 A b) 3.88 A c) 0.388 A d) 1.227 A 	
 Q112) The radius of the 5th orbit of hydrogen atom is 13.25 Å. Calculate the wavelength of the electron in the 5th orbit. a) 83.21 A b) 16.64 A c) 20.8 A d) 3.33 A 	Ç
Q113) Find the (i) angular momentum (ii) velocity of the electron in the 5th orbit of hydrogen	
atom. (h = 6.6×10^{-34} Js, m = 9.1×10^{-31} kg) a) Angular momentum = 10.5×10^{-34} kg m ² s ⁻¹ , velocity = 4.4×10^5 ms ⁻¹	Ç
b) Angular momentum = 10.5×10^{-34} kg m ² s ⁻¹ , velocity = 2.2×10^{5} ms ⁻¹ c) Angular momentum = 5.25×10^{-34} kg m ² s ⁻¹ , velocity = 4.4×10^{5} ms ⁻¹	Ç
d) Angular momentum = 5.25×10^{-34} kg m ² s ⁻¹ , velocity = 2.2×10^{5} ms ⁻¹	
 Q114) Calculate the number of nuclei of carbon-14 undecayed after 22,920 years if the initial number of carbon-14 atoms is 10,000. The half-life of carbon-14 is 5730 years. a) 1432 b) 358 c) 1074 d) 625 	Ç
 Q115) A hydrogen atom is excited by radiation of wavelength 97.5 nm. Find the principal quantum number of the excited state. a) 4 b) 3 b) 3 c) 5 d) 2 	Ç
, , -	1

- Q116) Half-lives of two radioactive elements A and B are 20 minutes and 40 minutes respectively. Initially, the samples have equal number of nuclei. Calculate the ratio of decayed numbers of A and B nuclei after 80 minutes.
 - a) 4/5 b) 5/4
 - c) 2/3 d) 3/2
- Q117) When a PN junction is forward biased
 - a) Depletion region decreases
 - b) Minority carriers are not affected
 - c) Holes and electrons move away from junction
 - d) All of above
- Q118) Which type of special purpose diode is formed by a metal and semiconductor?
 - a) Varactor b) Tunnel
 - c) Zener
- d) Schottky

- Q119) A semiconductor in its purest form is known as
 - a) Superconductor
 - b) Insulator
 - c) Intrinsic semiconductor
 - d) Extrinsic semiconductor
- Q120) On which principle optical fiber works?
 - a) Scattering of light
 - b) Total internal reflection
 - c) Total internal absorption
 - d) Optical rotation

SECTION-C CHEMISTRY(121-180)

- Q121) The flame of caesium is in the colour_
 - a) White b) Red violet
 - c) Yellow d) Blue
- Q122) The correct order of thermal stability of following carbonates is:
 a) BaCO₃ > CaCO₃ > SrCO₃ > MgCO₃
 - b) $BaCO_3 > SrCO_3 > CaCO_3 > MgCO_3$ c) $MgCO_3 > CaCO_3 > SrCO_3 > BaCO_3$
 - d) $MgCO_3 > CaCO_3 > BaCO_3 > SrCO_3$
- Q123) What is the range of oxidation states shown by nitrogen in its oxides?

a) +1 to +3	b) +2 to +4
c) $+1$ to $+2$	d) +1 to +5

- Q124) Which of the following is the correct order of oxidising power of perhalates
 - a) $BrO_4^- > ClO_4^- > IO_4^-$
 - b) $IO_4 > BrO_4 > ClO_4$
 - c) $IO_4^- > ClO_4^- > BrO_4^-$
 - d) $BrO_4^- > IO_4^- > ClO_4^-$
- Q125) The common oxidation state of Lanthanide is a) +1 b) +2 c) +3 d) +4
- Q126) The colour of transition metal is due to
 - a) presence of unpaired d-electron
 - b) d-d transition
 - c) nature of ligands at geometry of complex
 - d) All of the above
- Q127) Which of the following is an alloy of iron?
 - a) Vitallium b) Brass
 - c) Invar d) Solder
- Q128) Werner postulated that octahedral, tetrahedral and square planer geometrical shapes are more common in coordination compounds of
 - a) Alkali metals b) Lanthanides
 - c) Actinides d) Transition metals

Q129) Which of the following is not a subdivision of	Q139) Select the incorrect statement
structural isomerism?	a) The addition reaction occur more
a) Geometrical isomerism	frequently in the alkenes than the alkynes
b) Linkage isomerism	b) The pi system of the alkynes gets
c) Coordination isomerism	weakened when they lose the pi atom
d) Ionisation isomerism	c) Alkynes readily undergo oligomerization
	d) Alkynes do not undergo polymerization
Q130) Which of the following is not considered as	Q140) When phenol is treated with excess bromine
an organometallic compound?	water it gives
a) Ferrocene b) Cis-platin d) Crignord reagant	a) m-bromophenol
c) Ziese's salt d) Grignard reagent	b) o-and p-bromophenol
Q131) and are ores of copper	c) 2,4-dibromophenol
	d) 2,4,6 tribromephenol
a) Dolomite, bornite	
b) Bornite, chalcopyrite	Q141) How are alcohols prepared from haloalkanes?
c) Chalcopyrite, dolomite	a) By treating with concentrated H ₂ SO ₄
d) Bornite, magnesite	b) By heating with aqueous NaOH
Q132) The product from blast furnace is called	c) By treating with a strong reducing agent
a) Cast iron b) Wrought iron	d) By treating with Mg metal
c) Pig iron d) Steel	
c) rightin d) Steel	Q142) Iodoform can be prepared from all except:
Q133) IUPAC name of the $(CH_3)_2CHCH(CH_3)_2$ is	a) isopropyl alcohol b) 3-methyl-2-butanone
a) 1, 1, 2, 3-tetramethylethane	c) isobutyl alcohol d) ethyl methyl ketone
b) 1, 2-di-isopropylethane	Q143) Aqueous NaOH solution is added to a
c) 2, 3-dimethylbutane	mixture of benzaldehyde and formaldehyde
d) 2, 3, 3-trimethylbutane	to produce
	a) Benzyl alcohol + sodium formate
Q134) Baker-Nathan effect is also known as	b) Sodium benzoate + methanol
a) Hyperconjugation b) Inductive effect	c) Benzyl alcohol + methanol
c) Mesomeric effect d) Electromeric effect	d) Sodium benzoate+sodium formate
Q135.Identify the incorrect statement regarding	Q144) Carboxylic acid on reduction with HI/
aromaticity.	phosphorous yields
a) It is the extra stability possessed by a	a) Alkane b) Alcohols
molecule	c) Aldehydes d) Ketones
b) p-orbitals must be planar and overlap	
c) Cyclic delocalization takes place	Q145) What will be the reactivity order of the
d) It does not follow Huckel's rule	following with water?
Q136.An activating substituent group activates	a) Acid halide > ester > acid anhydride > amide b) Acid anhydride > amide > acid halide > actor
a) Ortho position	b) Acid anhydride > amide > acid halide > ester
b) Para position	c) Amide > ester > acid anhydride > acid halide
c) Ortho and para positions	d) Acid halide > acid anhydride > ester > amide
d) Meta position	Q146) Which of the following is used as a reactant
d) Meta position	for the nitration of benzene to form
Q137.Which among the following does not exhibit	nitrobenzene?
geometric isomerism	a) HNO ₂
a) 1-hexene b) 2-hexene	b) HNO_3
c) 3-hexene d) 4-hexene	c) Mixture of HNO_2 and HNO_3
	d) Mixture of HNO_2 and H_2SO_4
Q138.Alkanes undergo halogenation. It is example of	
a) Nucleophilic substitution	Q147) Which of the following statements
b) Elimination	concerning methylamine is correct?
c) Free-radical substitution	a) Methyl amine is stronger base than NH ₃
d) Electrophilic substitution	b) Methyl amine is less basic than NH ₃
	c) Methyl amine is slightly acidic

	c) Alkynes readily ur	ney lose the pi atom idergo oligomerization dergo polymerization
Q140)	 When phenol is treated water it gives a) m-bromophenol b) o-and p-bromophenol c) 2,4-dibromophenol d) 2,4,6 tribromephenol 	nol l
Q141)	a) By treating with cob) By heating with ac	ueous NaOH strong reducing agent
Q142)) Iodoform can be prep a) isopropyl alcohol c) isobutyl alcohol	b) 3-methyl-2-butanone
Q143) Aqueous NaOH solut mixture of benzaldeh to produce a) Benzyl alcohol + s b) Sodium benzoate - c) Benzyl alcohol + r d) Sodium benzoate+ 	yde and formaldehyde odium formate + methanol nethanol
Q144) Carboxylic acid on re phosphorous yields a) Alkane c) Aldehydes	duction with HI/ b) Alcohols d) Ketones
Q145	b) Acid anhydride >arc) Amide > ester > acid	-
Q146) Which of the following for the nitration of be nitrobenzene? a) HNO₂ b) HNO₃ c) Mixture of HNO₂ 	nzene to form

the following statements g methylamine is correct? amine is stronger base than NH₃ b) Methyl amine is less basic than NH₃ c) Methyl amine is slightly acidic d) Methyl amine forms salts with alkali

Page 17 of 20

UG	CET-2022
~~	

SET-C	
Q148) Glucose will show mutarotation white is	hen solvent
a) Acidic b) Basic c) Amphoteric d) Neutral	
Q149) Beriberi is caused due by the deficia) Vitamin Cb) Vitamin Bc) Vitamin Bd) Vitamin B	B2
Q150) Which of the following Greenhous Present in Very High Quantities? a) Carbon dioxide b) Ethane c) Propane d) Methane	e Gases is
 Q151) Which of the following is not a law chemical combination? a) Law of Multiple Proportions b) Avogadro's Law c) Law of Definite Proportion d) Law of Conservation of volume 	
Q152) According to Bohr model of hydro relation between principal quantum n and radius r of stable orbit: a) r $\alpha \frac{1}{n}$ b) r α n c) r $\alpha \frac{1}{n^2}$ d) r α n ²	-
Q153) The position and velocity of small like electron cannot be simultaneo determined. This statement is for a) Heisenberg uncertainty princip b) Principle of de Broglie's wave electron c) Pauli's exclusion principle d) Aufbau's principle	usly le
 Q154) Le Chatelier Principle is applicable a) Heterogeneous reaction b) Homogeneous reaction c) Irreversible reactions d) System in equilibrium 	e to
 Q155) Ostwald's dilution law is applicable a) Strong electrolytes only b) Weak electrolytes only c) Non-electrolytes d) Strong as well as weak electrol 	
Q156) What is the pH of 0.0001molar HC a) 1 b) 2 c) 3 d) 4	Cl solution
 Q157) Which of the following is not a typ buffer mixture? a) <i>NH</i>₄<i>OH</i> b) <i>NH</i>₄<i>Cl</i> c) <i>H</i>₂<i>CO</i>₃ + <i>Na</i>₂<i>CO</i>₃ 	e of Basic

d) Glycine + Glycine hydrochloride

a) It increases b) It decreases c) It remains the same d) Both increases as well as decrease Q159) The unit of rate constant for second order reaction is a) litre mole⁻² sec⁻² b) litre mole⁻² sec⁻¹ d) litre mole⁻¹ sec⁻¹ c) litre Q160) Which condition holds for the ideal solution? a) Change in volume is zero b) Change in volume is non-zero c) Change in enthalpy is non-zero d) None of the above Q161) The van't Hoff factor for a compound that undergoes dissociation and association in a solvent is respectively a) Less than one and less than one b) Greater than one and less than one c) Greater than one and greater than one d) Less than one and Greater than one O162) What will be the value of ΔH , if the forward and reverse reactions have the same energy of activation? a) $\Delta H = \Delta G = \Delta S = 0$ b) $\Delta S = 0$ c) $\Delta G = 0$ d) $\Delta H = 0$ Q163) Hess's law states that a chemical reaction is independent of the route by which chemical reaction takes place while keeping the same a) Initial conditions only b) Final conditions only c) Mid-conditions d) Initial and final conditions Q164) The enthalpy of formation of $CO_2(g)$, $H_2O(l)$ and Propene(g) are -395.5, -285.8 and 20.42KJ mol⁻¹ respectively. The enthalpy change for the combustion of cyclopropane at 298K will be(The enthalpy of isomerisation of cyclopropane to propane is - 33.0KJ mol^{-1}) a) -1021.32 KJ mol⁻¹ b) -20911.32 KJ mol⁻¹ d) -3141.32 KJ mol⁻¹ c) -5021.32 KJ mol⁻¹ Q165) The correct relationship between free energy change in a reaction and the corresponding equilibrium constant K_{C} is

Q158) What effect does temperature have on the half-life of a first-order reaction?

a) $-\Delta G = RT InK_C$ b) $\Delta G^{\circ} = RT InK_C$ c) $-\Delta G^{\circ} = RT InK_C$ d) $\Delta G = RT InK_C$

UG	CET	-2022	,
			-

SET-C	
Q166) Oxidation number of P in PO_4^{3-} , of S in SO_4^{2-} and that of Cr in $Cr_2O_7^{2-}$ are respectively: a) +3, +6 and +5 b) +5, +3 and +6 c) +3, +6 and +6 d) +5, +6 and +6	Q1
Q167) What is the number of electrons transferred in an equation if the Nernst equation is $E (cell) = E^{\circ}(cell) - 9.83 \times 10^{-3} \times \log_{10} (Anada/Cathada)^2$	Q1
(Anode/Cathode)? a) 2 b) 6 c) 4 d) 1	Q1
Q168) Which of the following is a specific conductivity reagent?	
a) KCl b) HCl c) $NaCl$ d) $MgCl_2$	Q1
 Q169) Schottky defect in a crystal is observed when a) The ion leaves its normal position and occupies an interstitial location b) The unequal number of cations and anions are missing from the lattice c) The density of the crystal increases d) An acculation of actions and anions are missing from the lattice 	Q1
d) An equal number of cations and anions are missing from the latticeQ170) What is the process of producing electric dipoles inside the dielectric by an external	
electric field a) Polarisation b) Dipole moment c) Susceptibility d) Magnetisation	Q1
 Q171) Which of the following metals would have the highest packing efficiency a) Copper b) Potassium c) Chromium d) Polonium 	
 Q172) How the crystal classified a) According to place of origin b) According to the position of the unit cell c) According to the symmetry of the unit cell d) According to the purity of the unit cell 	
 Q173) Which of the following isotherm is applicable to physical adsorption? a) Langmuir b) BET c) Freundlich d) Kisluik 	
 Q174) Polymers are not classified on the basis of which of the following a) Source b) Number of monomers c) Method of preparation d) Structure 	

Q175) Which one will have the highest 2^{nd} ionisation energy? a) $1s^2 2s^2 2p^6 3s^1$ b) $1s^2 2s^2 2p^4$ c) $1s^2 2s^2 2p^6$ d) $1s^2 2s^2 2p^6 3s^2$
Q176) Atomic radiialong the periodsa) Increasesb) Decreasesc) Remains constantd) Irregular
 Q177) Molecular orbitals are filled according to a) Aufbau's principle b) Hund's rule c) Pauli's Exclusion Principle d) All these
 Q178) The maximum number of 90° angles between bond pair-bond pair of electrons is observed in a) dsp² hybridisation b) sp³d hybridisation c) dsp³ hybridisation d) sp³d² hybridisation
Q179) In BrF ₃ , lone pairs are present at the equatorial positions. This is to minimise a) bp-bp repulsion only

a) bp-bp repulsion only
b) lp-lp repulsion only
c) lp-bp repulsion only
d) both (B) and (C)

(180) O-O bond length is minimum in

a) O_2^-	b) O ₂
c) O_2^+	d) $O_2^{2^-}$