



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



District : KATHUA

No. AUJ/Agromet/GKMS/24-25/492 - 95

Bulletin No:15/2024-25

Dated:21-05-2024

Phone:0191-2958213

Website: www.skuast.org

Fax: 0191-2263891

Weather summary of previous 5 days 16th to 20th May, 2024)

Range of Max. Temperature (°C)	39.2 – 42.8
Range of Min. Temperature (°C)	24.4 – 25.8
Range of Relative Humidity (%)	NA
Rainfall (mm)	0.0

Ensembled forecast for next 5 days (0830 hrs 22nd to 26th May, 2024)

Date	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction (°)	Cloud Cover (Octa)
22-05-24	0	43	25	35	25	1	12	2
23-05-24	0	43	26	35	25	1	10	1
24-05-24	0	43	26	30	20	1	348	1
25-05-24	0	44	26	30	20	1	355	2
26-05-24	0	44	27	30	20	1	355	1

Weather may remain clear for next five days. The Maximum Temperature may range from 43°C to 44°C while the Minimum Temperature may range from 25°C to 27°C. Wind may blow from North Northerly Easterly to Northerly direction with the speed of about 1 km/hr. The morning relative humidity may range from 30% to 35% and evening relative humidity may range from 20% to 25% during this period.

Weather Forecast Based Agromet Advisories W.E.F 0830 hrs 22nd to 26th May, 2024

Crop	Stage/Cultural Operation	Weather based Agro- advisories
Fallow land	Soil solarization	Deep Plough the land with soil turning plough for soil solarization against insect pests and weed infestation. Incorporate well rotten F.Y.M. 15 days prior to sowing in the fields where Kharif maize and paddy are to be sown in June.
Rice	Nursery sowing	Farmers may go for nursery sowing of early transplanted rice varieties. (var. IET-1410, K-39, Ratna, PC-19, Jaya) Treat seed with Carbendazim or Bavistin @2gm/Kg before nursery raising. Incorporate the FYM @ 10-15 tons/ ha at least 15 days earlier to transplanting in the field, where rice is to be transplanted.
Pulses Summer pulses (moong/mash)	Early vegetative	Farmers may go for hoeing and weeding in crop to conserve soil moisture and proper aeration of the roots and to keep the weeds under check.
Green manuring	Germination/ Early Vegetative	The dose of phosphorus recommended for the rice crop to be taken after Daincha should be applied to daincha crop either through single super phosphate or Di ammonium phosphate.
Vegetables: Cucurbits	Vegetative stage	Apply irrigation as per requirement of crop. Spray chloropyriphos @2 ml/lit. of water immediately followed by ash application on wetted leaves in cucurbits for control of red pumpkin beetle. Install 5 pheromone traps per



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



Tomato/brinjal	Fruiting/flowering/ vegetative	kanal to control fruit fly. Timely harvest the matured fruit in order to avoid spoilage. Monitor tomato crop for leaf curl. Remove virus infected plants. Spray imidacloprid @ 0.5ml/lt of water to check further spread of disease by whitefly.
Okra	Vegetative	If yellow leaves (YVMV) are observed, uproot and bury deep in soil and wash hands after that.
Turmeric/ ginger	Early Vegetative	Keep the field free of weeds.
Floriculture Summer annuals	Nursery Seed	Apply irrigation as per requirement of crop. Sowing of nursery of Summer annualsis recommended.
Chrysanthemum	Mother stock	Chrysanthemum propagation through root cutting is recommended.
Rose	Flowering	Hoeing and weeding is recommended to conserve the soil moisture.
Fodder Summer mixe3d fodder	Vegetative	Application of top dressing of nitrogenous fertilizer in summer fodder (maize+cowpea+charri) and bajra immediately, if not applied yet.
Mushroom Milky mushroom	Spawn run	Maintain temperature of cropping room between 25°C - 30°C for proper spawn run. Maintain 90-95% humidity in cropping rooms. Spray chlorothalonil @ 0.5% and deltamethrin @ 0.01% to control competitor fungi. Farmers interested in growing milky mushroom may book the spawn of milky mushroom as the season will continue up to end of July.
Horticulture Guava /Mango/ Citrus	Young/Bearing	Apply irrigation as per requirement of crop. Remove water suckers. White wash the tree trunks with slaked lime and copper sulphate against sunburn and fungal diseases. Spray 2,4-D @ 10ppm against citrus fruit drop in citrus. Spray dimethoate @ 1ml/lt against hoppers in mango.
Sericulture: Mulberry	Tree plantation	Mulberry Farm/individual mulberry trees should be irrigated periodically at an interval of 15-20 days.
Bivoltine cocoon crop	Disinfection of rearing halls/ appliances	Rigorous disinfection of used appliances in the recently completed spring rearing should be adopted with 2-14 per cent formaline solution.
Apiculture		Protect colonies from high temperature by shifting to shady areas or migrate to cooler places or cover them with wet gunny bags. To control mite, dust sulphur on top bars @ 1g/frame /oxalic acid treatment @ 3.5% / litre water.



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



Fisheries Carp farming	Fry/ yearlings	Farmers who have stocked fish livestock in their ponds are advised to maintain proper water level in their fish ponds.
Poultry		Adequate clean drinking water should be available all the time. Proper hygiene should be maintained. Give vaccination against infectious bursal dermatitis IBD & Gumbroo at 7 th & 14 th day after birth.
Live stock Dairy animals/ Sheep & Goat		Due to chances of increase in temperature and hence, for preventing animals from heat stress during hot weather conditions following points may be kept in mind: 1. Provide an adequate amount of fresh cool and clean drinking water 2. Plant shady trees around the sheds. 3. Provide water baths 3-4 times in a day. 4. Install fans and desert coolers for high-yielding animals. 5. Sprinkling of water in sheds to reduce heat stress. 6. Good quality green leguminous and non-leguminous fodders. Maize and bajra. Urea treatment of dry straw/fodder. 7. Increase protein content in animal ration by 2%. 8. Mineral mixture should be supplemented in the diet.

Ensembled Block Level Forecast for next 5 days (0830 hrs 22nd to 26th May, 2024) for district Reasi

Weather may remain clear for next five days.

DATE	BLOCK NAME	Rain mm	Temp. Max °C	Temp. Min °C	RH Morn. (%)	RH Even. (%)	Wind Speed (kmph)	Wind Direction (deg)	Cloud Cover (octa)
22-05-2024	Baggan	0	39.1	23.7	25	13	12	23	0
23-05-2024	Baggan	0	39.1	24.2	25	12	12	23	0
24-05-2024	Baggan	0	40.5	24.8	19	8	13	26	0
25-05-2024	Baggan	0	41.8	25.3	16	6	15	26	0
26-05-2024	Baggan	0	43	24.9	18	7	15	23	0
22-05-2024	Bani	0	38	22.5	37	20	11	23	0
23-05-2024	Bani	0	38.3	23	35	19	11	23	0
24-05-2024	Bani	0	39.5	23	28	14	12	26	0
25-05-2024	Bani	0	40.8	23.4	24	11	13	26	0
26-05-2024	Bani	0	41.6	23.3	26	11	12	26	0
22-05-2024	Barnoti	0	40.7	24.8	21	9	10	23	0
23-05-2024	Barnoti	0	40.9	25.4	20	9	9	19	0
24-05-2024	Barnoti	0	42.1	25.8	15	6	11	23	0
25-05-2024	Barnoti	0	43.2	26.7	12	5	14	23	0
26-05-2024	Barnoti	0	44.3	26	14	5	13	23	0



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



22-05-2024	Basohli	0	39.1	23.5	23	11	11	26	0
23-05-2024	Basohli	0	39.2	23.6	23	10	11	26	0
24-05-2024	Basohli	0	40.5	24.4	17	7	13	23	0
25-05-2024	Basohli	0	41.8	25.3	14	5	15	23	0
26-05-2024	Basohli	0	43.3	24.2	16	6	15	26	0
22-05-2024	Bhoond	0	38.2	23	27	13	11	23	0
23-05-2024	Bhoond	0	38.5	23.4	26	12	11	23	0
24-05-2024	Bhoond	0	39.7	23.7	20	8	12	26	0
25-05-2024	Bhoond	0	41.3	24.3	17	6	13	26	0
26-05-2024	Bhoond	0	42.5	23.8	19	7	14	26	0
22-05-2024	Billawar	0	39.3	23.8	25	12	12	23	0
23-05-2024	Billawar	0	39.3	24.3	25	11	11	23	0
24-05-2024	Billawar	0	40.7	24.9	19	8	13	26	0
25-05-2024	Billawar	0	42	25.5	16	6	15	26	0
26-05-2024	Billawar	0	43.2	25	17	6	15	23	0
22-05-2024	Dhar-Mahanpur	0	38.9	23.7	24	12	11	23	0
23-05-2024	Dhar-Mahanpur	0	39.2	24.1	25	11	10	23	0
24-05-2024	Dhar-Mahanpur	0	40.4	24.6	19	8	12	26	0
25-05-2024	Dhar-Mahanpur	0	41.8	25.2	16	6	14	26	0
26-05-2024	Dhar-Mahanpur	0	42.9	24.6	17	6	14	26	0
22-05-2024	Dinga-Amb	0	40.6	24.5	21	10	11	26	0
23-05-2024	Dinga-Amb	0	40.8	25.1	21	9	10	23	0
24-05-2024	Dinga-Amb	0	42.1	25.6	15	6	12	23	0
25-05-2024	Dinga-Amb	0	43.2	26.5	12	5	14	23	0
26-05-2024	Dinga-Amb	0	44.4	25.9	14	5	14	23	0
22-05-2024	Duggan	0	39.5	22.1	51	31	9	23	1
23-05-2024	Duggan	0	39.8	23	47	27	9	26	0
24-05-2024	Duggan	0	41.1	22.7	39	20	10	23	0
25-05-2024	Duggan	0	42.1	22.9	33	16	10	23	0
26-05-2024	Duggan	0	42.7	23.2	36	17	10	23	1
22-05-2024	Hiranagar	0	41.1	24.5	21	9	10	56	0
23-05-2024	Hiranagar	0	41.5	25.3	20	8	8	45	0
24-05-2024	Hiranagar	0	42.7	25.5	15	6	10	27	0
25-05-2024	Hiranagar	0	43.6	26.4	12	5	12	23	0
26-05-2024	Hiranagar	0	44.5	25.9	14	5	12	23	0
22-05-2024	Kathua	0	40.5	24.9	20	9	11	20	0
23-05-2024	Kathua	0	40.9	25.4	19	8	10	23	0
24-05-2024	Kathua	0	42	25.8	15	5	12	23	0
25-05-2024	Kathua	0	43.1	26.7	12	5	14	23	0
26-05-2024	Kathua	0	44.2	26.1	14	5	14	26	0



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



22-05-2024	Keerian-Gangyal	0	40.6	24.7	20	9	10	30	0
23-05-2024	Keerian-Gangyal	0	40.8	25.3	19	8	10	64	0
24-05-2024	Keerian-Gangyal	0	42.2	25.5	15	6	11	64	0
25-05-2024	Keerian-Gangyal	0	43.1	26.4	12	5	13	27	0
26-05-2024	Keerian-Gangyal	0	43.9	25.9	14	5	13	63	0
22-05-2024	Lohai-Malhar	0	38.9	22.9	39	21	9	23	0
23-05-2024	Lohai-Malhar	0	38.9	23.6	37	19	9	23	0
24-05-2024	Lohai-Malhar	0	40.3	23.7	30	13	10	23	0
25-05-2024	Lohai-Malhar	0	41.2	24	26	11	11	23	0
26-05-2024	Lohai-Malhar	0	41.7	23.9	27	11	11	26	0
22-05-2024	Mahanpur	0	39.6	24.1	23	11	10	23	0
23-05-2024	Mahanpur	0	39.8	24.5	23	10	10	23	0
24-05-2024	Mahanpur	0	40.9	25.1	17	7	12	26	0
25-05-2024	Mahanpur	0	42.2	25.9	14	6	14	26	0
26-05-2024	Mahanpur	0	43.3	25.2	16	6	14	26	0
22-05-2024	Mandli	0	39.6	23.9	24	12	12	23	0
23-05-2024	Mandli	0	39.4	24.3	24	11	12	23	0
24-05-2024	Mandli	0	40.9	25	18	7	13	26	0
25-05-2024	Mandli	0	42.3	25.7	15	6	16	26	0
26-05-2024	Mandli	0	43.6	25.2	17	6	16	23	0
22-05-2024	Matheen	0	41.1	24.7	21	9	10	30	0
23-05-2024	Matheen	0	41.6	25.5	20	8	8	45	0
24-05-2024	Matheen	0	42.6	25.7	15	6	10	23	0
25-05-2024	Matheen	0	43.5	26.6	12	5	12	23	0
26-05-2024	Matheen	0	44.5	26.1	14	5	12	23	0
22-05-2024	Nagri	0	40.5	24.9	20	9	11	20	0
23-05-2024	Nagri	0	40.9	25.4	19	8	10	23	0
24-05-2024	Nagri	0	42	25.8	15	5	12	23	0
25-05-2024	Nagri	0	43.1	26.7	12	5	14	23	0
26-05-2024	Nagri	0	44.2	26.1	14	5	14	26	0
22-05-2024	Nagrota-Gujroo	0	40.6	24.8	21	9	10	23	0
23-05-2024	Nagrota-Gujroo	0	40.8	25.4	20	9	9	19	0
24-05-2024	Nagrota-Gujroo	0	42	25.8	15	6	11	26	0
25-05-2024	Nagrota-Gujroo	0	43.2	26.7	12	5	14	23	0
26-05-2024	Nagrota-Gujroo	0	44.3	26	14	5	14	23	0
		0	40.6	24.8	21	9	10	23	0



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



Dr Mahender Singh
I/C Agrometeorology

Dr Veena Sharma
Technical Officer