

**GRAMIN KRISHI MAUSAM SEWA**

Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com

**District : REASI**

No. AUJ/Agromet/GKMS/24-25/280 - 83	Bulletin No:09/2024-25	Dated:30-04-2024
Phone:0191-2958213	Website: www.skuast.org	Fax: 0191-2263891

Weather summary of previous 5 days 25th to 29th April , 2024)

Range of Max. Temperature (⁰ C)	26.8 – 31.6
Range of Min. Temperature (⁰ C)	14.6 – 18.8
Range of Relative Humidity (%)	36 – 75
Rainfall (mm)	13.8

Ensembled forecast for next 5 days (0830 hrs 01st to 05th May, 2024)

Date	Rainfall (mm)	Tmax (⁰ C)	Tmin (⁰ C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction (°)	Cloud Cover (Octa)
01-05-24	5	26	10	70	60	1	20	8
02-05-24	0	28	12	60	50	1	19	3
03-05-24	0	30	13	60	50	1	16	5
04-05-24	3	31	13	70	60	1	30	8
05-05-24	3	31	15	70	60	1	13	7

Sky may remain partially cloudy to mainly cloudy with **chances of light rainfall on 1st, 4th & 5th May 2024**. The Maximum Temperature may range from 26°C to 31°C while the Minimum Temperature may range from 10°C to 15°C. Wind may blow in North Northerly Easterly direction with the speed of about 1 km/hr. The morning relative humidity may range from 60% to 70% and evening relative humidity may range from 50% to 60% during this period.

As per Extended Range Forecast (ERF), Rainfall may remain below normal limits whereas Maximum and Minimum Temperature may remain moderately below normal limits in J&K Subdivision wef 05-05-2024 to 11-05-2024

Weather Forecast Based Agromet Advisories W.E.F 0830 hrs 01st to 05th May, 2024

Crop	Stage/Cultural Operation	Weather based Agro- advisories
Mustard	Threshing	Shift threshed crop immediately to safer places. Keep the bundles of harvested crop in stacks and cover them with polythene sheets/ Tarpaulin during rain. Threshing of crop is recommended during clear weather after proper drying.
Wheat	Physiological maturity/Harvesting/ Threshing	Shift threshed crop immediately to safer places. Keep the bundles of harvested crop in stacks and cover them with polythene sheets/Tarpaulin during rain. Harvesting is recommended after receipt of rain during clear weather. Threshing of crop is recommended during clear weather after proper drying.
Pulses Summer pulses (moong/mash)	Sowing	Farmers may go for sowing of Mash (var.) Pant U-19, Uttara and Moong (var.) PDM-54, ML-131, ML 818, PS-16, PS-7 during clear weather at vattar condition of soil.
Chickpea/lentil/ Field pea	Harvesting	Shift threshed crop immediately to safer places. Cover the harvested crop with polythene sheets/ Tarpaulin. Harvesting is recommended during clear weather. Threshing of crop is recommended during clear weather after



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



		proper drying.
Fodder Summer fodder	Sowing	Farmers may go for sowing of summer fodder (maize+cowpea+charri) and bajra during clear weather.
Floriculture Summer annuals	Nursery Seed	Farmers can resort to nursery land preparation for summer annuals during clear weather at vattar condition of soil. Add 5kg FYM/ m ² at the time of land preparation.
	Early vegetative	Hoeing and weeding is recommended.
Chrysanthemum	Mother stock	Cover Mother stock with shade net.
Ornithogalum/ Rose	Full bloom	Hoeing and weeding is recommended.
Vegetables: Cucurbits	Vegetative stage	Install 5 pheromone traps per kanal, if fruit fly is observed. Spray Dithane M-45 @2-5gm/lit of water during clear to control downey mildew.
Tomato/brinjal	Fruiting/flowering/ vegetative	Monitor tomato crop for leaf curl. Remove virus infected plants. Spray imidacloprid @ 0.5ml/lit of water during clear weather to check further spread of disease by whitefly.
Okra	vegetative	If yellow leaves (YVMV) are observed, uproot and bury deep in soil and wash hands after that.
Horticulture: Mango/Citrus/ Guava	Young/ Bearing	White wash the tree trunks with slaked lime and copper sulphate during clear weather against sunburn and fungal diseases. Spray 2,4-D @ 10ppm during clear weather against citrus fruit drop in citrus. Spray dimethoate @1ml/lit during clear weather against hoppers in mango.
Button mushroom Oyster mushroom	Spawn run	Open the bags after complete spawn run (15-20 days). Maintain temperature to 22-28 ⁰ C and humidity to 85-90%.
Button Mushroom	Fruiting	Temperature to be maintained for Button Mushroom produced in upper reaches of Jammu region is 16-18 ⁰ C and humidity to be maintained at 85-90%.
Sericulture Silkworm crop	Harvested cocoon crop	Keep the bags in wire mesh covered racks to avoid rodent attack till marketing. Keep cocoon bags in well ventilated rooms to avoid dampness.
Apiculture		It is the right time to start bee keeping especially for beginners as pollen and nectar are in plenty and bee activity is at its peak. Migrate bee colonies near to floral resources and shady places. Prepare colonies for honey flow. Ensure water availability near beehives.
Poultry		Avoid hurdling of chicks. Adequate clean drinking water should be available all the time. Provide starter feed for first 14 days and provide finisher feed from 15 th day till sale. Proper hygiene should be maintained. Give vaccination against infectious bursal dermatitis IBD



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



		&Gumbroo at 7 th & 14 th day after birth.
Fisheries Carp farming	Advance Fingerlings/ yearlings	Add supplementary feed (mustard oilcake and Rice/Wheat bran) @ 3% of total fish biomass on daily basis. Farmers may go for partial harvesting/sale of marketable size Farmers should go for liming (250-300kg/ha/yr) and manuring applications (10-20tons/ha/yr) at monthly interval in equal doses. Farmers who are going to stock new seeds of fish in next month may go for pre-stocking management practices such as dewatering and sun drying (if possible), liming, manuring etc.
Live stock: Dairy animals/		Provide hay of green forage like stala, lobia, maize, jowar and bajra etc. with kadbi and other green grasses to the milch animals to increase milk production and also to prevent from bloat (aafara).

Ensembled Block Level Forecast for next 5 days (0830 hrs 01st to 05th May, 2024) for district Reasi

Chances of light rainfall on 1st, 2nd, 4th & 5th May at isolated places locations.

DATE	BLOCK NAME	Rain mm	Tmax °C	Tmin °C	RH Morn. (%)	RH Even. (%)	Wind Speed (kmph)	Wind Direction (deg)	Cloud Cover (octa)
01-05-2024	Arnas	0.6	21.5	8.5	48	15	11	23	6
02-05-2024	Arnas	0	21.2	8.5	41	23	11	18	1
03-05-2024	Arnas	0	22.6	10.7	35	18	10	23	2
04-05-2024	Arnas	0.2	25.2	14.2	40	15	10	23	7
05-05-2024	Arnas	0	25.8	13	41	20	11	25	3
01-05-2024	Chassana	0	22.8	9.9	42	14	10	23	6
02-05-2024	Chassana	0	22.5	9.5	36	19	11	21	1
03-05-2024	Chassana	0	23.8	11.5	32	15	11	23	2
04-05-2024	Chassana	0	26.3	16	34	13	12	23	7
05-05-2024	Chassana	0	27.2	14	35	17	13	23	3
01-05-2024	Gulab-Garh	19.5	18.8	4.6	95	68	11	15	7
02-05-2024	Gulab-Garh	2.6	16	4.2	92	67	12	23	2
03-05-2024	Gulab-Garh	0	18.9	6.6	76	65	9	13	3
04-05-2024	Gulab-Garh	9.2	21.4	9.8	93	65	6	9	8
05-05-2024	Gulab-Garh	13.8	21.3	9.5	89	74	8	25	7
01-05-2024	Jig Bagli	0.8	19.6	7.4	47	14	11	19	6
02-05-2024	Jig Bagli	0	19.5	7.9	33	18	9	34	0
03-05-2024	Jig Bagli	0	21.1	9.7	32	18	8	23	3
04-05-2024	Jig Bagli	0	24.2	14.2	32	13	12	26	8
05-05-2024	Jig Bagli	0	24.3	12.3	34	17	12	27	2
01-05-2024	Katra	0	24.3	11.7	42	16	11	15	6
02-05-2024	Katra	0	24.1	10.9	38	19	11	21	1
03-05-2024	Katra	0	25.4	12.8	33	14	11	23	3
04-05-2024	Katra	0	28	17.8	32	13	12	23	8
05-05-2024	Katra	0	28.9	15.6	33	16	14	20	3
01-05-2024	Mahore	11.4	19.3	4.4	91	48	10	349	6



GRAMIN KRISHI MAUSAM SEWA
Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department
Agromet Research Centre, SKUAST-Jammu, Chatha-180009
email:jmu.agrimet@gmail.com



02-05-2024	Mahore	0.9	15.1	3.9	88	58	11	18	2
03-05-2024	Mahore	0	18.4	6.2	71	51	8	18	2
04-05-2024	Mahore	6.1	21.4	10.1	87	47	6	343	7
05-05-2024	Mahore	6.9	22	9.5	79	55	7	25	6
01-05-2024	Panthal	1.3	20.9	8.4	50	16	10	17	6
02-05-2024	Panthal	0	20.8	9.3	34	18	8	34	0
03-05-2024	Panthal	0	22.6	10.9	33	18	8	23	4
04-05-2024	Panthal	0	25.6	15.3	33	14	11	23	8
05-05-2024	Panthal	0	25.8	13.4	34	16	12	24	3
01-05-2024	Pouni	27.8	18.1	3.2	95	66	8	341	7
02-05-2024	Pouni	1.4	14.2	3	92	69	7	360	2
03-05-2024	Pouni	0	17.7	5.9	77	65	6	9	3
04-05-2024	Pouni	11.2	21	8.7	93	60	5	11	7
05-05-2024	Pouni	17.8	20.6	8.8	90	71	4	23	7
01-05-2024	Reasi	0	22.8	9.9	42	14	10	23	6
02-05-2024	Reasi	0	22.5	9.5	36	19	11	21	1
03-05-2024	Reasi	0	23.7	11.5	32	15	11	23	2
04-05-2024	Reasi	0	26.3	16	34	13	12	23	7
05-05-2024	Reasi	0	27.1	14	35	17	13	19	3
01-05-2024	Thakrakote	1.1	20.6	7.3	53	15	10	23	6
02-05-2024	Thakrakote	0	20.6	7.7	42	24	10	18	1
03-05-2024	Thakrakote	0	21.4	9.9	36	19	9	23	2
04-05-2024	Thakrakote	0	24.3	12.7	43	16	9	23	7
05-05-2024	Thakrakote	0	25	12.1	44	21	9	25	3
01-05-2024	Thuroo	1.4	20.3	7.7	57	18	13	25	6
02-05-2024	Thuroo	0	19.9	8	48	29	13	18	1
03-05-2024	Thuroo	0	22.4	10.4	40	22	11	23	2
04-05-2024	Thuroo	0.5	24.9	13.1	50	19	10	20	7
05-05-2024	Thuroo	0	24.6	12.6	48	25	12	25	4

Dr Mahender Singh
I/C Agrometeorology

Dr Veena Sharma
Technical Officer