

Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

# District: KATHUA

No. AUJ/Agromet/GKMS/25-26/412-15	Bulletin No:12/2025-26	Dated:09-05-2025
Phone:0191-2958213	Website: www.skuast.org	Fax: 0191-2263891

Weather summary of previous 5 days 4<sup>th</sup> to 8<sup>th</sup> May, 2025)

	<u> </u>
Range of Max. Temperature ( <sup>0</sup> C)	Na
Range of Min. Temperature ( <sup>0</sup> C)	Na
Range of Relative Humidity (%)	Na
Rainfall (mm)	Na

Ensembled forecast for next 5 days (0830 hrs 10<sup>th</sup> to 14<sup>th</sup> May, 2025)

Date	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction (°)	Cloud Cover (Octa)
10-05-2025	0	37	24	50	30	2	45	5
11-05-2025	1	38	24	50	30	2	60	4
12-05-2025	0	40	24	50	30	2	45	6
13-05-2025	0	40	24	50	30	2	80	3
14-05-2025	0	40	24	50	30	2	135	2

Chances of light rainfall at isolated places between 10<sup>th</sup> and 11<sup>th</sup> May.. Sky may remain fair to cloudy for next five days. The Maximum Temperature may range from 37°C to 40°C, while the Minimum Temperature may remain 24°C. The morning evening relative humidity may remain 50% and 70% respectively during this period.

As per Extended Range Forecast (ERF), Rainfall and Maximum Temperature may remain below normal limits whereas Minimum Temperature may remain moderately below normal limits in J&K Subdivision wef 14-05-2025 to 20-05-2025.

Weather Forecast Based Agromet Advisories W.F.F. 0830 hrs 10<sup>th</sup> to 14<sup>th</sup> May 2025

Weather Forecast Based Agromet Advisories W.E.F 0830 hrs 10 to 14 May, 2025						
Crop	Stage/Cultural	Weather based Agro- advisories				
	Operation					
Wheat		Those who have not threshed crop yet, may go for threshing				
Early/	Harvesting/Threshing	immediately. Shift threshed crop too immediately to safer places.				
Normal sown	/ Post Harvest	Store the threshed wheat grain after proper drying.				
		Clean and disinfect the store bins before storage of grains.				
Pulses						
Summer pulses	Sowing	Sowing of Mash (var.) Pant U-19, Uttara and Moong (var.) PDM-				
(moong/mash)		54, ML-131, ML 818, PS-16, PS-7 is recommended.				
Gram	Harvesting/Threshing	Those who have not threshed crop yet, may go for threshing				
(Late sown)	/ Post Harvest	immediately. Shift threshed crop immediately to safer places.				
Oilseeds	Post harvest	Clean and disinfect the store bins before storage of crop.				
Mustard						
Summer fodder	Sowing/early	Sowing of summer mixed fodder (maize+cowpea+charri) and				
	vegetative	bajra is recommended during clear weather. In case of already				
		sown crop, top dressing of Nitrogen is recommended.				
Vegetables:						
Onion/garlic	Harvesting	Harvest Onion/garlic immediately, if not harvested yet and shift to				
		safer places, keep them in muslin cloth in well ventilated rooms.				
Cole Crop/leafy	Seed Harvesting	Extract seed from dry pods of cole crop and leafy vegetables, clean				
vegetable		them properly and store after treating with bavistin @ 2gm/kg				



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

		seed or Captan/Thiram @ 3gm/kg seed.
Tomato/chilly	Flowering/fruiting	Monitor tomato crop for leaf curl. Remove virus infected plants.
Cucurbits	Vegetative	Black spots on leaves and drying of vines due to Downey mildew, restrict irrigation to the crop. Spray metalaxyl in combination with carbendazim @ 1gm /lt during clear weather at 7 days interval to control the disease.
Brinjal/Tomato	Fruiting	Spray prophenfos @ 1ml/lt of water during clear weather to control shoot and fruit borer in brinjal and fruit borer in tomato.  Monitor tomato crop for leaf curl. Remove virus infected plants.
Floriculture Chrysanthemum	Mother Stock	Grooming of mother plant is recommended.
Marigold	Seed maturation	Immediate harvesting of seed is recommended.
Summer annuals	Transplanting	Postpone irrigation due to chances of rainfall.
Ornithogalum/	Bulb harvest	Bulb harvesting is recommended.
Button mushroom Milky mushroom	Spawn booking	Farmers who are interested in cultivation of milky mushroom may go for booking of spawn for from reliable source.
Horticulture: Mango/Citrus/ Guava	Young/ Bearing	Keep the basins free of weeds. Remove tying material from the graft union
Sericulture Silkworm crop	Harvested cocoon crop	Keep the bags in wire mesh covered racks to avoid rodent attack till marketing. Keep cocoon bags in well ventilated rooms to avoid dampness.
Apiculture		It is the right time to start bee keeping especially for beginners as pollen and nectar are in plenty and bee activity is at its peak. Migrate bee colonies near to floral resources. Prepare colonies for honey flow.
Fisheries Carp farming	Advance Fingerlings/ yearlings	Add supplementary feed (mustard oilcake and Rice/Wheat bran) @ 3% of total fish biomass on daily basis.  Farmers may go for partial harvesting/sale of marketable size Farmers should go for liming (250-300kg/ha/yr) and manuring applications (10-20tons/ha/yr) at monthly interval in equal doses.  Farmers who are going to stock new seeds of fish in next month may go for pre-stocking management practices such as dewatering and sun drying (if possible), liming, manuring etc.
Poultry		Chicks should be Provided with starter feed for first 14 days and finisher feed from 15 <sup>th</sup> day till sale.  Give vaccination against IPD & Gumbroo disease to 7 & 14 days chick.  Proper hygiene should be maintained in poultry sheds.  Adequate clean drinking water should be available all the time
Live stock: Dairy animals/ Sheep & Goat		Feed colostrum to new born calves within half to one hour. Calcium supplement is recommended in the diet of dairy animals and heifers especially when fed rice straw these days to prevent calcium deficiency and intestinal blockage. Dairy farmers from vaccinate their livestock (cattle, buffaloes,



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

	sheep and goats) against FMD disease.
	Vaccination is done by the Department of Animal Husbandry and
	Sheep Husbandry, Jammu on subsidized rates.

## Ensembled Block Level Forecast for next 5 days (0830 hrs $10^{th}$ to $14^{th}$ May, 2025) for district .

Chances of light rainfall or thundershower in next 5 days at isolated places of Kathua district.

DATE	BLOCK NAME	Rain mm	Temp. Max °C	Temp. Min °C	RH Morn. (%)	RH Even. (%)	Wind Speed (kmph)	Wind Direction (deg)	Cloud Cover (octa)
10-05-2025	Baggan	5.8	25.2	16.2	65	35.1	6.6	40.6	5
11-05-2025	Baggan	1.8	25.7	16.7	64.6	33.9	7.8	33.7	4
12-05-2025	Baggan	3.6	26.8	16	66.1	28.1	8.4	30.9	4
13-05-2025	Baggan	1.5	27.5	16.7	53.5	26.9	9.5	29.4	2
14-05-2025	Baggan	0.5	28.9	17.2	51.4	26.6	7.8	21.8	2
10-05-2025	Bani	12.7	20.9	13	76.2	43.5	5.4	19.6	5
11-05-2025	Bani	4.1	21.4	13.2	74.7	40.9	6.3	13.2	5
12-05-2025	Bani	5	22.2	12.4	74.3	33.4	7	11.8	4
13-05-2025	Bani	2.3	22.7	12.8	65.8	33.9	8.1	12.8	3
14-05-2025	Bani	1.2	24.4	13.4	62.5	31.4	6.8	18.4	3
10-05-2025	Barnoti	1.9	35.2	23.2	53	23.4	6.7	36.2	5
11-05-2025	Barnoti	0.5	36.2	23.8	49.8	22.9	6.6	45	4
12-05-2025	Barnoti	1.4	36.9	23.4	48.2	18.5	7.1	40.9	3
13-05-2025	Barnoti	0.5	38.2	23.7	43	18.5	6.4	38.1	2
14-05-2025	Barnoti	0.2	39.2	24.1	41.6	20.4	7.9	43.1	1
10-05-2025	Basohli	2.4	31.8	19.8	60.1	25	8.9	31.7	4
11-05-2025	Basohli	1.1	32.2	20.2	56.2	24.7	10.4	33.7	4
12-05-2025	Basohli	1.3	32.8	19.9	57	20.5	11.3	30.6	3
13-05-2025	Basohli	1	33.9	20.1	50.6	19.3	11.1	29	2
14-05-2025	Basohli	0.6	34.8	20.6	48.6	22	11.6	29.7	2
10-05-2025	Bhoond	10.2	22	14	72.7	39.9	5.8	21.8	5
11-05-2025	Bhoond	2.4	22.4	14.1	70.2	38.6	6.6	12.5	5
12-05-2025	Bhoond	4.1	23.2	13.4	70.6	31	7.4	14	4
13-05-2025	Bhoond	1.8	23.7	13.9	62	31.2	8.5	12.2	3
14-05-2025	Bhoond	0.9	25.5	14.6	58.6	28.6	7.6	19.3	3
10-05-2025	Billawar	4.8	26.2	17.1	63.3	34.1	6.6	40.6	5
11-05-2025	Billawar	1.4	26.8	17.7	62.5	32.9	8	35.8	4
12-05-2025	Billawar	3.5	28	16.9	64.4	27.2	8.6	33	3
13-05-2025	Billawar	1.2	28.7	17.7	51.8	26.2	9.7	31.3	2
14-05-2025	Billawar	0.5	30.4	18.5	49.3	25.7	8	26.5	2
10-05-2025	Dhar-Mahanpur	9.6	25	16.7	68.3	36.1	5.8	21.8	5
11-05-2025	Dhar-Mahanpur	1.9	25.5	16.8	66.2	35.7	6.7	15.5	5



## Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

12.05.2025	Dhar Mahannur	2.2	26.4	16.2	66.2	20.1	7.5	16.7	
12-05-2025	Dhar-Mahanpur	3.2	26.4	16.2	66.3	28.1	7.5		4
13-05-2025	Dhar-Mahanpur	0.8	27.1	16.7	58.1	29.2	8.6	14.6	2
14-05-2025	Dhar-Mahanpur	0.6	29.6	18.2	54.4	27	7.8	21.8	2
10-05-2025	Dinga-Amb	3.3	35	23.7	55.5	25.4	6.4	42.7	5
11-05-2025	Dinga-Amb	0.6	35.7	24.2	52.9	25.3	6.5	56.3	4
12-05-2025	Dinga-Amb	1.2	36.7	23.8	54.5	20.9	6.1	49.7	3
13-05-2025	Dinga-Amb	0.9	38	24.2	44.4	20.7	6.1	28	2
14-05-2025	Dinga-Amb	0.2	38.8	24.6	41.8	21.8	8.7	48.3	2
10-05-2025	Duggain	14.4	19.2	11.1	79.8	47	4.5	28.6	6
11-05-2025	Duggain	4.5	19.7	11.4	78.1	43.7	5.2	15.9	5
12-05-2025	Duggain	5.5	20.5	10.5	77.4	36.1	5.6	14.9	5
13-05-2025	Duggain	2.8	20.8	10.8	69	36.3	6.8	18.4	4
14-05-2025	Duggain	1.2	22	10.8	66.5	34.2	5.5	23.2	3
10-05-2025	Duggan	10.6	18.7	8.9	85.1	48.8	2.9	60.2	6
11-05-2025	Duggan	4.5	19.7	9.1	82.8	42	3.1	45	5
12-05-2025	Duggan	6.6	20.5	8.5	83.6	34.9	2.8	50.2	4
13-05-2025	Duggan	3.1	20.9	8.2	75.1	34.1	3.8	48.8	4
14-05-2025	Duggan	1.3	22.4	9.2	66.4	33.3	5.3	28.3	3
10-05-2025	Hiranagar	2.8	36	24.5	54.3	24.7	5.9	47.5	5
11-05-2025	Hiranagar	0.4	36.8	25.1	52.3	24.3	6	65	4
12-05-2025	Hiranagar	1.3	37.8	24.7	52.9	20	6.1	49.7	3
13-05-2025	Hiranagar	0.7	38.9	24.9	43.6	19.6	5.2	33.7	3
14-05-2025	Hiranagar	0.2	40	25.2	40.7	20.4	8.2	52.1	1
10-05-2025	Kathua	1.8	35.1	23.1	52.7	23.2	6.9	38.6	4
11-05-2025	Kathua	0.6	36	23.6	50	22.7	6.6	45	4
12-05-2025	Kathua	1.4	36.7	23.1	47.9	18.1	7.1	40.9	3
13-05-2025	Kathua	0.5	37.9	23.5	43	18	6.4	38.1	2
14-05-2025	Kathua	0.1	39	23.7	42.2	20.2	7.4	43	1
10-05-2025	Keerian-Gangyal	1.2	37.2	25	51.7	21.7	6.4	47.3	4
11-05-2025	Keerian-Gangyal	0.5	37.8	25.6	47.6	21.2	6.6	67.6	4
12-05-2025	Keerian-Gangyal	1.2	38.6	25.2	47.2	17.5	7.2	63.4	3
13-05-2025	Keerian-Gangyal	0.3	39.8	25.1	42.2	17.4	6.2	35.5	2
14-05-2025	Keerian-Gangyal	0.1	40.7	25.2	40.8	19.2	9.3	54.4	1
10-05-2025	Lohai-Malhar	9	23.2	14.2	70.7	41.1	6.1	45	5
11-05-2025	Lohai-Malhar	3.1	23.7	14.8	69.8	38.1	7.1	40.9	4
12-05-2025	Lohai-Malhar	4.2	24.9	14	71.1	32.3	7.7	37.4	4
13-05-2025	Lohai-Malhar	1.8	25.4	14.7	58	30.8	8.8	35	3
14-05-2025	Lohai-Malhar	0.8	26.5	14.8	56.7	30.6	6.6	29.3	3
10-05-2025	Mahanpur	2.5	33	21.4	57	24.4	7.6	31.4	5
11-05-2025	Mahanpur	1	33.8	22	54.5	24.4	7.5	35.2	4
12-05-2025	Mahanpur	1.3	34.4	21.6	52.2	19.9	8	35.8	3
13-05-2025	Mahanpur	1.3	35.7	22	45.8	19.9	7.7	27.7	2
14-05-2025									
	Mahanpur	0.5	36.4	22.1	46.1	22	8.6	33	2
10-05-2025	Mandli	4.7	26.5	17.2	62.8	34.2	6.6	45	5



## Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

11-05-2025	Mandli	1.1	27	17.8	61.8	33.1	7.7	37.4	4
12-05-2025	Mandli	3.2	28.2	17.1	64	27.5	8.8	35	3
13-05-2025	Mandli	1	29	17.8	51.5	26.5	9.6	34.3	2
14-05-2025	Mandli	0.2	30.7	18.6	49	25.8	7.9	30	2
10-05-2025	Matheen	2.7	35.9	24.5	54.3	24.7	5.9	47.5	5
11-05-2025	Matheen	0.5	36.7	25.1	52.3	24.3	6	65	4
12-05-2025	Matheen	1.5	37.7	24.6	52.9	20	6.1	49.7	3
13-05-2025	Matheen	0.4	38.9	24.9	43.6	19.6	5.2	33.7	3
14-05-2025	Matheen	0.2	39.9	25.2	40.7	20.4	8.2	52.1	2
10-05-2025	Nagri	1.8	35.2	23.2	52.7	23.2	6.9	38.6	4
11-05-2025	Nagri	0.6	36.1	23.7	49.9	22.7	6.6	49.4	4
12-05-2025	Nagri	1.4	36.9	23.2	47.7	18.1	7.4	43	3
13-05-2025	Nagri	0.5	38.1	23.6	42.9	18	6.1	40.2	2
14-05-2025	Nagri	0.2	39.2	23.9	41.9	20.1	7.6	45	1
10-05-2025	Nagrota-Gujroo	1.9	35.2	23.2	53	23.4	6.7	36.2	5
11-05-2025	Nagrota-Gujroo	0.5	36.2	23.8	49.8	22.9	6.6	45	4
12-05-2025	Nagrota-Gujroo	1.4	36.9	23.4	48.2	18.5	7.1	40.9	3
13-05-2025	Nagrota-Gujroo	0.5	38.2	23.7	43	18.5	6.4	38.1	2
14-05-2025	Nagrota-Gujroo	0.2	39.2	24.1	41.6	20.4	7.9	43.1	1

<sup>\*</sup> Apply fertilizers and plant protection measures during clear weather only.

Dr Mahender Singh I/C Agrometeorology

**DrVeena Sharma Technical Officer**