

SECTION-A BIOLOGY (1-60)

- Q1) Which of the following is not a characteristic feature of Cephalochordates?
 a) Presence of specialized head
 b) Absence of paired limbs or fins
 c) Rod like notochord present extending from rostrum to tail
 d) Dorso-lateral muscles segmented into myotomes
- Q2) Which national park is famous for 'Hangul'?
 a) Kishtwar national park
 b) Hemis high altitude national park
 c) Dachigam national park
 d) Jim corbett national park
- Q3) Which organelle is known as the powerhouse of the cell?
 a) Nucleus
 b) Mitochondria
 c) Endoplasmic reticulum
 d) Ribosomes
- Q4) Which of the following is not a STD (Sexually transmitted disease).
 a) Chlamydia b) HIV/AIDS
 c) Syphilis d) Lupus
- Q5) What is the full form of ZIFT?
 a) Zygote Inter Fallopian Transfer
 b) Zygote Intra Fallopian Transfer
 c) Zygote In-vitro Fallopian Transfer
 d) Zygote In-vivo Fallopian Transfer
- Q6) Trisomy of 21st chromosome causes?
 a) Down syndrome
 b) Turner syndrome
 c) Klinefelter syndrome
 d) Patau Syndrome
- Q7) How can we perform DNA fingerprinting?
 a) PCR of DNA containing VNTR's
 b) Southern blotting using RFLP's
 c) Both (a) & (b)
 d) None of the above
- Q8) Vaccines provides
 a) Active immunity b) Passive immunity
 c) Both (a) & (b) d) None of the above
- Q9) Honey is rich in
 a) Anti-oxidants b) Vitamins
 c) Minerals d) All of the above
- Q10) Where can we use recombinant DNA technology?
 a) Crop improvement
 b) Medicine development
 c) Industrial applications
 d) All of the above
- Q11) Why is Gene therapy still not a permanent cure?
 a) It's very expensive and difficult to perform
 b) The cells die after some time and patient may need periodic infusions
 c) Virus sometimes effects other type of cells too which may cause sickness and other diseases.
 d) All of the above
- Q12) Which of the following is not an ethical issue regarding recombinant DNA technology?
 a) Gene pollution
 b) Superweed generation
 c) Restriction of natural flow of gene pool
 d) None of the above
- Q13) Which of the following is known as the suicide bags of the cell?
 a) Ribosomes b) Lysosomes
 c) Nucleosomes d) Centrioles
- Q14) In an ECG, which wave represents 'ventricular depolarization'?
 a) P wave b) QRS wave
 c) T wave d) None of the above
- Q15) Sickle cell anemia is caused by?
 a) Point mutation in beta globulin chain
 b) Point mutation in alpha globulin chain
 c) Frame shift mutation in beta globulin chain
 d) Frame shift mutation in alpha globulin chain
- Q16) The most popular and outstanding natural system of classification is that of
 a) Hutchinson b) Bentham and Hooker
 c) Bessey d) De Candole
- Q17) What is the shape of chloroplast in Chlamydomonas?
 a) Cup shaped b) Spiral
 c) Stellate d) Collar shaped
- Q18) Gymnosperms do not bear
 a) Seeds b) Fruits
 c) Cones d) None of them

- Q19) The principal components of xylem tissue include
 a) Companion cells and tracheids
 b) Fibres and sieve tubes
 c) Companion cells and vessels
 d) Tracheids and vessels
- Q20) In dicots, there is a layer of meristematic cells in-between the phloem and xylem, known as
 a) Protoxylem b) Protophloem
 c) Vascular cambium d) Differentiation zone
- Q21) Potato belongs to which family?
 a) Solanaceae b) Liliaceae
 c) Asteraceae d) Poaceae
- Q22) Vascular bundles are scattered in
 a) Dicot Stem b) Dicot root
 c) Monocot Stem d) Algae
- Q23) Polyarch and exarch vascular bundles occur in
 a) Dicot stem b) Monocot stem
 c) Dicot root d) Monocot root
- Q24) The minimum number of pigment molecules capable of acting cooperatively in a photochemical act to evolve one molecule of O₂ or to reduce one molecule of CO₂ is known as
 a) Quantum unit b) Quantasome unit
 c) Photosynthetic unit d) Photochemical unit
- Q25) In C₄ plants, initially the carbon dioxide of the atmosphere comes in contact with mesophyll cells where it combines with phosphoenol pyruvic acid to form
 a) Malic acid b) Aspartic acid
 c) Oxaloacetic acid d) Pyruvic acid
- Q26) The enzymes for the Krebs's cycle are located in
 a) Matrix of the mitochondria
 b) Cristae of the mitochondria
 c) Outer membrane of the mitochondria
 d) Chloroplast
- Q27) The factors that favour guttation include
 a) High water absorption
 b) Low root pressure
 c) High rate of transpiration
 d) All of the above
- Q28) The highest concentration of auxin is found in
 a) Nodes of the plant
 b) Growing tips of the plant
 c) Dead cells of the plant
 d) None of the above
- Q29) The light-sensitive lettuce seeds that are imbibing are treated with red light followed by far red light:
 a) The Pr form is converted to the active PFr form
 b) The PFr form is not affected
 c) Germination takes place
 d) Germination does not take place
- Q30) The condition where some flowers never open to ensure complete self-pollination is known as
 a) Cleistogamy b) Homogamy
 c) Geitonogamy d) Xenogamy
- Q31) The process of double fertilization was demonstrated for the first time by
 a) Zimmerman b) Nawaschin
 c) Sherrington d) Naudin
- Q32) The lower most cell of the suspensor adjacent to the embryonal cell is known as
 a) Ephiphysis b) Hypophysis
 c) Paraphysis d) Periphysis
- Q33) The nucellus of ovule is surrounded by one or two cellular coats called
 a) Columella b) Lamellae
 c) Integuments d) Chalaza
- Q34) If a part of flower other than ovary is also involved in the formation of fruit, it is called as
 a) Parthenocarpic fruit b) Pseudocarpic fruit
 c) True fruit d) Aggregate fruit
- Q35) Which of the following characteristic of pea plant was not used by Mendel in his experiments
 a) Seed colour b) Seed Shape
 c) Pod length d) Flower position
- Q36) Lack of independent assortment of two genes is due to
 a) Recombination b) Crossing over
 c) Linkage d) Repulsion
- Q37) In the DNA strand has nitrogen base sequence ATTGCC, the mRNA formed from it will have?
 a) UAACGG b) ATTGCC
 c) ATCGGG d) UGGACC
- Q38) The accepted hypothesis for DNA replication is
 a) Conservative theory
 b) Dispersive theory
 c) Semi-conservative theory
 d) Evolutionary theory

SECTION-A AGRICULTURE(1A-60A)

Q1A) AMUL is a ----

- a) Cooperative b) Self-Help Group
c) Company d) Society

Q2A) Only one seller of product/service is ----

- a) Oligopoly b) Perfect competition
c) Monopsony d) Monopoly

Q3A) For hard, dry and stony soil surface which kind of plough is suitable?

- a) Mould Board Plough
b) Disc Plough
c) Chisel Plough
d) Rotary Plough

Q4A) Which is not a type of drought?

- a) Hydrological b) Meteorological
c) Biological d) Socio-economic

Q5A) Conservation tillage leaves how much residue on the surface?

- a) <10% b) 10-15%
c) 15-25% d) >30%

Q6A) What is percentage of carbon in wrought iron?

- a) <1% b) 1-2%
c) 2-3% d) >4%

Q7A) Which is the largest producer of sugarcane in the world?

- a) Australia b) India
c) Brazil d) China

Q8A) If driving (effort) wheel has 15 teeth and driven (load) wheel has 60 teeth what is gear ratio?

- a) 1:4 b) 4:1
c) 2:3 d) 3:2

Q9A) Most common type of irrigation pumps are----

- a) Centrifugal pump b) Mixed flow pump
c) Propeller pump d) Jet pump

Q10A) The metering device is part of which agricultural implement?

- a) Paddy Thresher b) Mould Board Plough
c) Chaff Cutter d) Seed drill

Q11A) Which is not a manually operated weeding tool?

- a) Hand Hoe b) Wheel Hoe
c) Hoe cum rake d) Rotary Cultivator

Q12A) Tillage operation does not include-----

- a) Digging b) Flushing
c) Overturning d) Stirring

Q13A) Equipment used to apply insecticides/pesticides in dry form is known as-

- a) Sprayer b) Injector
c) Duster d) Sprinkler

Q14A) Chaff cutter is used for----

- a) Cutting fodder b) Grain grinding
c) Cane crushing d) Seed processing

Q15A) Mould board of a mould board plough is usually made of ----

- a) Mild steel b) Forged steel
c) Soft steel d) Malleable steel

Q16A) The economy of Jammu and Kashmir UT predominantly dependent on---

- a) Industries
b) Electricity generation
c) Agriculture
d) Tourism

Q17A) Major crops of Jammu division of J&K UT are

- a) Wheat, rajmas and rice
b) Wheat, maize and rice
c) Rice, cowpea and wheat
d) Maize, rice and pearl millet

Q18A) Where first Agriculture University of India was established?

- a) Srinagar b) Ludhiana
c) Kanpur d) Pantnagar

Q19A) IRRI is located in--

- a) USA b) Australia
c) Philippines d) India

Q20A) Which of the following is a Green Manure Crop?

- a) Daincha b) Potato
c) Barley d) Sesame

Q21A) For applying 100 kg of nitrogen, how much urea would one use?

- a) 310 kg b) 218 kg
c) 100 kg d) 146 kg

Q22A) "Silviculture" refers to cultivation of --

- a) Silkworm b) Trees
c) Medicinal plants d) Oilseed crops

Q23A) ADP to ATP change is called --

- a) Respiration b) Transpiration
c) Photosynthesis d) Phosphorylation

Q24A) SRI is a technique used in--

- a) Cotton b) Rice
c) Wheat d) Maize

- Q25A) Pink bollworm is a pest of --
 a) Sugarcane b) Gram
 c) Cotton d) Jute
- Q26A) Khaira disease of rice can be controlled by spraying—
 a) Calcium bicarbonate
 b) Calcium carbonate
 c) Calcium sulphate
 d) Zinc sulphate
- Q27A) Which is a variety of Oat?
 a) Kent b) Jaya
 c) Pusa Giant d) Sonalika
- Q28A) The relative proportion of sand, silt and clay is called ---
 a) Soil taxonomy
 b) Soil water holding capacity
 c) Soil structure
 d) Soil texture
- Q29A) Soil mulch is useful for---
 a) Minimizing evaporation loss
 b) Improving fertility of soil
 c) Improving drainage
 d) Improving soil structure
- Q30A) Growth of plants toward light is called--
 a) Photoperiodism b) Photorespiration
 c) Phototropism d) Photochromatism
- Q31A) A homozygous trait in an organism is defined as-
 a) The appearance of a trait in that organism
 b) Appearance of same trait in two organisms
 c) The presence of two different alleles in that organism
 d) Presence of two identical alleles in that organism
- Q32A) Which of the following were not taken into accounts in Mendel's experiments on hybridization?
 a) Plant height and flower position
 b) Length of pods and width of pods
 c) Flower colour and seed colour
 d) Pod shape and pod colour
- Q33A) Which of the following crops have been approved for commercial cultivation in India?
 a) Golden rice and high protein maize
 b) Bt Maize and Bt rice
 c) Bt cotton only
 d) Bt brinjal and Bt cotton
- Q34A) Conservation tillage saves?
 a) Soil b) Moisture
 c) Time d) All of above
- Q35A) Concentration of carbon dioxide in atmosphere is--
 a) 330 ppm b) 350 ppm
 c) 370 ppm d) 400 ppm
- Q36A) Which of the following is not a fruit vegetable?
 a) Tomato b) Chilli
 c) Potato d) Brinjal
- Q37A) Botanical name of Damask rose is----
 a) Rosa chinensis b) Rosa damascena
 c) Rosa moschata d) Rosa multiflora
- Q38A) Central Institute for temperate horticulture is located at----
 a) Pantnagar b) Srinagar
 c) Lucknow d) Shimla
- Q39A) Which of the following State/UT is highest producer of apple in India?
 a) Himachal Pradesh b) Jammu & Kashmir
 c) Uttarakhand d) Uttar Pradesh
- Q40A) Which of the following vegetable crop is direct seeded?
 a) Tomato b) Onion
 c) Chilli d) Okra
- Q41A) Biennial bearing is found in ----
 a) Pomegranate b) Apple
 c) Mango d) Grape
- Q42A) Which of the following is not a leguminous vegetable?
 a) Pea b) French bean
 c) Cowpea d) Okra
- Q43A) Central Potato Research Institute is located at-
 a) Shimla b) Srinagar
 c) Meerut d) Lucknow
- Q44A) Saffron is grown mostly in the State/UT of --
 a) Himachal Pradesh b) Jammu & Kashmir
 c) Uttarakhand d) Uttar Pradesh
- Q45A) Microbial digestion occur in----
 a) Poultry b) Pig
 c) Sheep d) Horse

- Q46A) Osteomalacia a disease of adult is caused due to deficiency of---
- a) Calcium b) Magnesium
c) Fluorine d) Iodine
- Q47A) The average nitrogen content of protein is----
- a) 15% b) 16%
c) 18% d) 17%
- Q48A) More commonly used factor for converting nitrogen to crude protein is----
- a) 5.25 b) 4.25
c) 6.75 d) 6.25
- Q49A) The most appropriate ratio of calcium and phosphorous for efficient utilization is----
- a) 2:1 b) 4:1
c) 1:2 d) 1:4
- Q50A) Daily water requirement of a dairy cow is influenced by----
- a) Composition of ration
b) Milk production
c) Environmental temperature
d) All the above factors
- Q51A) Rabies is a fatal disease of animals, caused by-
- a) Virus b) Bacteria
c) Protozoa d) All of these
- Q52A) The pH range of good silage is----
- a) 3.8 to 4.4 b) 4.9 to 5.6
c) 6.0 to 7.0 d) None of these
- Q53A) Price of a commodity and its demand has ----
- a) Positive correlation
b) Negative correlation
c) Depends on the commodity
d) No relationship
- Q54A) The net cultivated area in India is----
- a) 150 mha b) 143 mha
c) 180 mha d) 328 mha
- Q55A) IVLP stands for--
- a) Institute Village Linkage Project
b) Integrated Village Linkage Programme
c) Integrated Village Linkage Project
d) Institute Village Linkage Programme
- Q56A) Contribution of agriculture to GDP is--
- a) 14% b) 20%
c) 24% d) 34%
- Q57A) White revolution is related to----
- a) Food grain production
b) Fish production
c) Egg production
d) Milk production

- Q58A) Support price for crop produce is fixed based on the recommendations of ----
- a) NAFED
b) CACP
c) Ministry of Agriculture
d) CCI
- Q59A) The factors of production are----
- a) Land and labour
b) Land, labour, capital
c) Land, labour, capital, management
d) Land, labour, money, machine
- Q60A) ATMA stands for----
- a) Agriculture Technology Management Agency
b) Agriculture Transfer Model Assessment
c) Agriculture Transfer Management Assessment
d) Agricultural Tourism and Management Agency

SECTION-A MATHEMATICS(1B-60B)

- Q1B) If $x + y = k$ is a tangent to the parabola $y^2 = 12x$ then $k =$
- a) 9 b) -9
c) -3 d) 3
- Q2B) If in a hyperbola, the distance between the foci is 10 and the transverse axis has length 8, then the length of its latusrectum is
- a) 9 b) $\frac{9}{2}$
c) $\frac{32}{3}$ d) $\frac{64}{3}$
- Q3B) A point P moves so that sum of its distances from $(-ae, 0)$ and $(ae, 0)$ is $2a$, then the locus of P is
- a) $\frac{x^2}{a^2} - \frac{y^2}{a^2(1-e^2)} = 1$ b) $\frac{x^2}{a^2} + \frac{y^2}{a^2(1-e^2)} = 1$
c) $\frac{x^2}{a^2} + \frac{y^2}{a^2(1+e^2)} = 1$ d) $\frac{x^2}{a^2} - \frac{y^2}{a^2(1+e^2)} = 1$
- Q4B) If x_1, x_2, \dots, x_{18} are observations such that
- $$\sum_{j=1}^{18} (x_j - 8) = 9 \text{ and } \sum_{j=1}^{18} (x_j - 8)^2 = 45,$$
- then the standard deviation of these observations is
- a) $\frac{3}{2}$ b) 5
c) $\sqrt{5}$ d) $\sqrt{\frac{81}{34}}$

Q5B) Mean of 100 items is 49. It was discovered that three items which should have been 60, 70, 80 were wrongly read as 40, 20, 50 respectively. The correct mean is

- a) 48 b) 50
c) 80 d) 40

Q6B) Which of the following is not a measure of central tendency

- a) Mean b) Median
c) Mode d) Range

Q7B) A drawer contains 5 brown socks and 4 blue socks well mixed. A man reaches the drawer and pulls out 2 socks at random. The probability that they match is

- a) $\frac{4}{9}$ b) $\frac{5}{9}$
c) $\frac{5}{8}$ d) $\frac{5}{12}$

Q8B) Events A, B, C are mutually exclusive events such that $P(A) = \frac{3x+1}{3}$,

$$P(B) = \frac{1-x}{4} \text{ and } P(C) = \frac{1-2x}{2}$$

The set of possible values of x are in the interval

- a) $\left[\frac{1}{3}, \frac{1}{2}\right]$ b) $\left[\frac{1}{3}, \frac{2}{3}\right]$
c) $\left[\frac{1}{3}, \frac{13}{3}\right]$ d) $[0, 1]$

Q9B) The Mean and Variance of a random variable X having a Binomial distribution are 4 and 2 respectively then $P(x > 6) =$

- a) $\frac{1}{256}$ b) $\frac{3}{256}$
c) $\frac{9}{256}$ d) $\frac{7}{256}$

Q10B) A, B, C, D, E, F in that order are the vertices of a regular hexagon with centre origin. If the position vector of vertices A and B are $4\hat{i} + 3\hat{j} - \hat{k}$ and $-3\hat{i} + \hat{j} + \hat{k}$ respectively, then $\overrightarrow{DE} =$

- a) $7\hat{i} + 2\hat{j} - 2\hat{k}$ b) $-7\hat{i} - 2\hat{j} + 2\hat{k}$
c) $3\hat{i} - \hat{j} - \hat{k}$ d) $-4\hat{i} - 3\hat{j} + \hat{k}$

Q11B) If $4|\vec{a}| = 12|\vec{b}| = 3|\vec{c}| = 12$ and $\vec{a} + \vec{b} + \vec{c} = 0$, then $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a} =$

- a) -8 b) 8
c) 13 d) -13

Q12B) If $\hat{i} - \hat{k}$, $\lambda\hat{i} + \hat{j} + (1 - \lambda)\hat{k}$ and $\mu\hat{i} + \lambda\hat{j} + (1 + \lambda - \mu)\hat{k}$ are three co-terminal edges of a parallelepiped, then its volume depend on

- a) Only λ b) Only μ
c) Both λ and μ d) Neither λ nor μ

Q13B) The angle between the lines with direction ratios $(4, -3, 5)$ and $(3, 4, 5)$ is

- a) $\frac{\pi}{2}$ b) $\frac{\pi}{3}$
c) $\frac{\pi}{4}$ d) $\frac{\pi}{6}$

Q14B) If the foot of the perpendicular from $(0, 0, 0)$ to a plane is $(1, 2, 2)$, then the equation of the plane is

- a) $-x + 2y + 8z - 9 = 0$
b) $x + 2y + 2z - 9 = 0$
c) $x + y + z - 5 = 0$
d) $x + 2y - 3z + 1 = 0$

Q15B) The line $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ meets the plane $2x + 3y - z = -4$ in the point

- a) $(1, 2, 3)$ b) $(-1, -1, -1)$
c) $(2, 1, 3)$ d) $(1, 1, 1)$

Q16B) Which of the following sets is empty set?

- a) $A = \{x : x^2 - 2 = 0 \text{ and } x \text{ is rational}\}$
b) $B = \{x : x \text{ is an even prime number}\}$
c) $C = \{x : 3x < 5, x \in N\}$
d) $D = \{x : x^2 = 25 \text{ and } x \text{ is an odd integer}\}$

Q17B) In a group of 600 persons, 550 can speak Hindi and 250 can speak English, then the number of persons who can speak both Hindi and English is

- a) 100 b) 200
c) 300 d) 350

Q18B) Let R be a relation on the set N of natural numbers defined by $R = \{(x, y) : x + 2y = 8, x \in N, y \in N\}$ then Range of R is

- a) $\{2, 4, 6\}$ b) $\{2, 4, 1\}$
c) $\{3, 2, 1\}$ d) None of these

Q54B) $\int_0^a \sqrt{a^2 - x^2} dx =$

- a) $\frac{1}{3} \pi a^2$ b) $\frac{1}{4} \pi a^2$
 c) $\frac{\pi a^2}{2}$ d) πa^2

Q55B) The area bounded by the curves

$y = 3x$ and $y = x^2$ (in square units) is

- a) 10 b) 5
 c) 4 d) None of these

Q56B) The order of the differential equation

$\left[\frac{dy}{dx}\right]^3 + \left[\frac{dy}{dx}\right]^2 + y^4 = 0$ is

- a) 4 b) 2
 c) 1 d) 3

Q57B) The solution of $\frac{dy}{dx} + y = e^x$ is

- a) $2y = e^{2x} + C$ b) $2y e^x = e^x + C$
 c) $2y e^x = e^{2x} + C$ d) None of these

Q58B) If the centroid of the triangle formed by the points $(0,0)$, $(\cos \theta, \sin \theta)$ and $(\sin \theta, -\cos \theta)$ lies on the line $y = 2x$ then $\theta =$

- a) $\tan^{-1}(2)$ b) $\tan^{-1}(-2)$
 c) $\tan^{-1}(3)$ d) $\tan^{-1}(-3)$

Q59B) If 3,4 are intercepts of a line $L = 0$, Then the distance of $L = 0$ from the origin is

- a) 5 b) $\frac{12}{5}$
 c) $\frac{5}{12}$ d) 12

Q60B) The other end of the diameter through the point $(-1,1)$ on the circle

$x^2 + y^2 - 6x + 4y - 12 = 0$ is

- a) $(-7,5)$ b) $(-7, -5)$
 c) $(7, -5)$ d) $(7, 5)$

SECTION-B PHYSICS (61-120)

Q61) The force between the two charges is 240N. If the distance between the charges is doubled, the force will be

- a) 60N b) 90N
 c) 120N d) 160N

Q62) What will be the flux coming out of any surface a cube, if a charge $Q \mu C$ is placed at the centre of the cube?

- a) $\frac{Q}{6\epsilon_0} \cdot 10^{-3}$ b) $\frac{Q}{24\epsilon_0}$
 c) $\frac{Q}{8\epsilon_0}$ d) $\frac{Q}{6\epsilon_0} \cdot 10^{-6}$

Q63) What does an electric dipole experience when it is kept in the non-uniform electric field?

- a) Only a force
 b) Only torque
 c) Force and torque both
 d) Neither force nor torque

Q64) The capacitance of the capacitor is independent of

- a) The charges present on the plate
 b) The distance of separation between the plates
 c) The shape of the plates
 d) The size of the plates

Q65) Consider two capacitances of capacity C_1 and C_2 which are connected in series and have potential difference V . What is the potential difference across C_1 ?

- a) $\left(\frac{C_1}{C_1+C_2}\right) \cdot V$ b) $\left(\frac{C_1+C_2}{C_1}\right) \cdot V$
 c) $\left(\frac{C_2}{C_1}\right) \cdot V$ d) $\left(\frac{C_2}{C_1+C_2}\right) \cdot V$

Q66) The resistivity of certain metals or alloys drops to zero when they are cooled below a certain temperature, this phenomenon is known as _____.

- a) Conductivity
 b) Partial conductivity
 c) Superconductivity
 d) Non-conductivity

Q67) In a Wheatstone bridge if the battery and galvanometer are interchanged then the deflection in galvanometer will

- a) change in previous direction
 b) not change
 c) change in opposite direction
 d) none of these.

Q68) When a straight conductor is carrying current:

- a) There are circular magnetic field lines around it
 b) There are magnetic field lines parallel to the conductor
 c) There are no magnetic field lines
 d) None of the above

Q69) The magnetic field inside a long straight solenoid carrying current:

- a) Is zero
 b) Decrease as we move towards its end
 c) Is same at all points
 d) Increase as we move towards its end

- Q70) For which of the following is magnetic susceptibility negative?
- Paramagnetic and Ferromagnetic materials
 - Paramagnetic Materials only
 - Ferromagnetic Materials only
 - Diamagnetic Materials
- Q71) What is the need for laminating the core of a transformer?
- To reduce the resistance in the winding
 - To reduce the eddy currents
 - To reduce the hysteresis
 - None of the above
- Q72) A magnet is moved towards a coil (i) quickly (ii) slowly, then the induced e.m.f. is
- larger in case (i)
 - smaller in case (i)
 - equal to both the cases
 - larger or smaller depending upon the radius of the coil
- Q73) Electromagnetic waves are produced by
- A static charge
 - An accelerated charge
 - A moving charge
 - Charged particles
- Q74) The direction in which electromagnetic waves propagate is the same as that of
- $\vec{E} \times \vec{B}$
 - $\vec{B} \times \vec{E}$
 - \vec{E}
 - \vec{B}
- Q75) The ratio of the amplitude of the magnetic field to the amplitude of the electric field for electromagnetic wave propagation in a vacuum is equal to
- Unity
 - Speed of light in vacuum
 - Reciprocal of the speed of light in vacuum
 - The ratio of magnetic permeability to electrical susceptibility in a vacuum.
- Q76) A missile is launched with a velocity less than the escape velocity. The sum of its kinetic and potential energy is
- Positive
 - Negative
 - Zero
 - may be positive or negative
- Q77) The point at which the gravitational force acting on any mass is zero due to the Earth and the Moon system is (The mass of the Earth is approximately 81 times the mass of the Moon and the distance between the Earth and the Moon is 3,85,000km.)
- 36,000 km from the moon.
 - 38,500 km from the moon.
 - 34,500 km from the moon.
 - 30,000 km from the moon.
- Q78) If a body of mass m is taken out from a point below the surface of earth equal to half the radius of earth, R , to a height R above the earth's surface, then work done on it will be
- $(5/6) mgR$
 - $(6/7) mgR$
 - $(7/8) mgR$
 - $(8/9) mgR$
- Q79) A body of mass 1 kg is attached to one end of a wire and rotated in horizontal circle of diameter 40 cm with a constant speed of 2 m/s. what is the area of cross-section of the wire if the stress developed in the wire is $5 \times 10^6 \text{ N/m}^2$?
- 2 mm²
 - 3 mm²
 - 4 mm²
 - 5 mm²
- Q80) In a wire, when elongation is 2 cm energy stored is E . if it is stretched by 10 cm, then the energy stored will be
- E
 - $2 E$
 - $20 E$
 - $25 E$
- Q81) A rocket is fired from the earth to the moon. The distance between the earth and the moon is r and the mass of the earth is 81 times the mass of the moon. The gravitational force on the rocket will be zero, when its distance from the moon is
- $r/5$
 - $r/10$
 - $r/15$
 - $r/20$
- Q82) A body has weight W on the ground. The work which must be done to lift it to a height equal to the radius of earth R is
- Equal to $W \times R$
 - Greater than $W \times R$
 - Less than $W \times R$
 - Cannot be estimated

Q83) A Carnot engine uses first an ideal monoatomic gas ($\gamma=5/3$) and then an ideal diatomic gas ($\gamma=7/5$) as its working substance. The source and sink temperatures are 411°C and 69°C respectively and the engine extract 1000 J of heat from the source in each cycle. Then,

- the efficiencies in the two engines are in the ratio 21:25.
- the area enclosed by the P-V diagram in the first case only is 500J.
- the area enclosed by the P-V diagram in the both cases is 500J.
- the heat energy rejected by the engine in the first case is 600J while in the second case is 714.3J.

Q84) Heat is absorbed by a body but its temperature does not rise. Which of the following statement explains the phenomenon

- Only K.E. of vibration increases.
- Only P.E. on inter molecular force changes
- No increase in internal energy takes place
- Increase in Kinetic energy is balanced by decrease in potential energy.

Q85) Two chambers, one containing m_1 gm of a gas at P_1 pressure and other containing m_2 gm of a gas at P_2 pressure, are put in communication with each other. If temperature remains constant, the common pressure reached will be

- $\frac{P_1 P_2 (m_1+m_2)}{P_2 m_1+P_1 m_2}$
- $\frac{m_1 m_2 (P_1+P_2)}{P_2 m_1+P_1 m_2}$
- $\frac{P_1 P_2 m_1}{P_2 m_1+P_1 m_2}$
- $\frac{P_2 m_1 m_2}{P_2 m_1+P_1 m_2}$

Q86) At a given temperature and pressure 64 gm of Oxygen and X gm of H_2 occupy the same volume. Then X=gm

- 1
- 2
- 3
- 4


Q87) A closed hollow insulated cylinder is filled with gas at 0°C and also contains an insulated piston of negligible weight and negligible thickness at the middle point. The gas at one side of the piston is heated to 100°C . If the piston moves 5cm, the length of the hollow cylinder is

- 13.65 cm
- 27.3 cm
- 64.6 cm
- 54.6 cm

Q88) Two simple Harmonic Motions of angular frequency 100 and 1000 rad S^{-1} have the same displacement amplitude. The ratio of their maximum accelerations is :

- $1:10^3$
- $1:10^4$
- 1:10
- $1:10^2$

Q89) If a positively charged pendulum is oscillating in a uniform electric field as shown in figure. Its time period of SHM as compared to that when it was uncharged.



- Will increase
- Will decrease
- Will not change
- Will first increase then decrease

Q90) Three waves of equal frequency having amplitudes 10 mm, 4 mm and 7 mm arrive at a given point with successive phase difference $\frac{\pi}{2}$. The amplitude of the resulting wave (in mm) is given by:

- 7
- 6
- 5
- 4

Q91) Which of the following is true about light?


- It is electromagnetic wave
- It does not propagate in vacuum
- Its maximum speed is approximately $3 \times 10^8 \text{ m/s}$

- I only
- I and II only
- I and III only
- I, II, and III

Q92) The speed of light in a certain material is 50% of its speed in vacuum. What is the refractive index of the material?

- 1.5
- 0.5
- 6.0
- 2

Q93) Parallel rays of light strike a convex lens. Which of the following diagrams show what happens to the rays when they strike the lens?



- Q94) An object of height 10 cm is placed 50 cm in front of a bi-convex lens with a focal length of 20 cm. Which of the following is true about the image?
 I The image is virtual
 II The image is situated on the opposite side as the object
 III The image is inverted
 a) I only b) I and II only
 c) II and III only d) II only
- Q95) For an object in front of a plane mirror, which of the following about its images is (are) true?
 I The image is real
 II The image is upright
 III The height of the image is twice the image of the object
 a) I, II and III b) I and II only
 c) II only d) I and III only
- Q96) What is the de Broglie wavelength of an electron which is accelerated through a potential difference of 10 kV.
 a) 0.1227 Å b) 3.88 Å
 c) 0.388 Å d) 1.227 Å
- Q97) The radius of the 5th orbit of hydrogen atom is 13.25 Å. Calculate the wavelength of the electron in the 5th orbit.
 a) 83.21 Å b) 16.64 Å
 c) 20.8 Å d) 3.33 Å
- Q98) Find the (i) angular momentum (ii) velocity of the electron in the 5th orbit of hydrogen atom. ($h = 6.6 \times 10^{-34}$ Js, $m = 9.1 \times 10^{-31}$ kg)
 a) Angular momentum = 10.5×10^{-34} kg m²s⁻¹, velocity = 4.4×10^5 ms⁻¹
 b) Angular momentum = 10.5×10^{-34} kg m²s⁻¹, velocity = 2.2×10^5 ms⁻¹
 c) Angular momentum = 5.25×10^{-34} kg m²s⁻¹, velocity = 4.4×10^5 ms⁻¹
 d) Angular momentum = 5.25×10^{-34} kg m²s⁻¹, velocity = 2.2×10^5 ms⁻¹
- Q99) Calculate the number of nuclei of carbon-14 undecayed after 22,920 years if the initial number of carbon-14 atoms is 10,000. The half-life of carbon-14 is 5730 years.
 a) 1432 b) 358
 c) 1074 d) 625
- Q100) A hydrogen atom is excited by radiation of wavelength 97.5 nm. Find the principal quantum number of the excited state.
 a) 4 b) 3
 c) 5 d) 2
- Q101) Half-lives of two radioactive elements A and B are 20 minutes and 40 minutes respectively. Initially, the samples have equal number of nuclei. Calculate the ratio of decayed numbers of A and B nuclei after 80 minutes.
 a) 4/5 b) 5/4
 c) 2/3 d) 3/2
- Q102) When a PN junction is forward biased
 a) Depletion region decreases
 b) Minority carriers are not affected
 c) Holes and electrons move away from junction
 d) All of above
- Q103) Which type of special purpose diode is formed by a metal and semiconductor?
 a) Varactor b) Tunnel
 c) Zener d) Schottky
- Q104) A semiconductor in its purest form is known as_
 a) Superconductor
 b) Insulator
 c) Intrinsic semiconductor
 d) Extrinsic semiconductor
- Q105) On which principle optical fiber works?
 a) Scattering of light
 b) Total internal reflection
 c) Total internal absorption
 d) Optical rotation
- Q106) An object of mass 3kg at rest. Now a force of $\vec{F} = 6t^2\hat{i} + 4t\hat{j}$ is applied on the object, then velocity of object at $t=3$ s is: $18\hat{i} + 6\hat{j}$
 a) $18\hat{i} + 3\hat{j}$ b) $18\hat{i} + 6\hat{j}$
 c) $3\hat{i} + 18\hat{j}$ d) $18\hat{i} + 4\hat{j}$
- Q107) A mass of 1Kg is thrown up with a velocity of 100m/s. After 5 sec, it explodes into two parts. One part of mass 400mg comes down with a velocity of 25 m/s. The velocity of other part is: (Take $g = 10\text{m/s}^2$)
 a) 40m/s b) 80m/s
 c) 100m/s d) 60m/s
- Q108) A block of mass 10kg placed on rough horizontal surface having coefficient of friction $\mu=0.5$, if the horizontal force of 100N acting on it, then acceleration of the block will be
 a) 10m/s^2 b) 5m/s^2
 c) 15m/s^2 d) 0.5m/s^2

- Q109) A shell of mass 200gm is ejected from a gun of mass 4 Kg by an explosion that generates 1.05KJ of energy. The initial velocity of shell is:
 a) 40m/s b) 120m/s
 c) 100m/s d) 80m/s
- Q110) The potential energy of a long spring when stretched by 2 cm is U. If the spring is stretched by 8 cm, the potential energy stored in it is:
 a) U/4 b) 4U
 c) 8U d) 16U
- Q111) Two identical balls A and B having velocities of 0.5m/s and 0.3m/s respectively collide elastically in one dimension. The velocities of B and A after the collision respectively will be
 a) -0.5m/s and 0.3m/s
 b) 0.5m/s and -0.3m/s
 c) -0.3m/s and 0.5m/s
 d) 0.3m/s and 0.5m/s
- Q112) If the magnitude of sum of two vectors is equal to the magnitude of difference of two vectors, the angle between these vectors is:
 a) 45° b) 180°
 c) 0° d) 90°
- Q113) The particle has initial velocity $(3\hat{i} + 4\hat{j})$ and has acceleration $(0.4\hat{i} + 0.3\hat{j})$. Its speed after 10 sec is:
 a) 7 units b) $7\sqrt{2}$ units
 c) 8.5 units d) 10 units
- Q114) The horizontal range and the maximum height of the projectile are equal. The angle of projection of projectile is:
 a) $\theta = \tan^{-1}(1/4)$ b) $\theta = \tan^{-1}(4)$
 c) $\theta = \tan^{-1}(2)$ d) $\theta = 45^\circ$
- Q115) \vec{A} and \vec{B} are two vectors and θ is the angle between them, if $|\vec{A} \times \vec{B}| = \sqrt{3} (\vec{A} \cdot \vec{B})$, the value of θ is
 a) 45° b) 30°
 c) 90° d) 60°
- Q116) A rod of length 3cm and its mass per unit length is directly proportional to the distance x from one of its ends then its centre of gravity from that end will be
 a) 1.5m b) 2m
 c) 2.5m d) 3m

- Q117) The moment of Inertia of a disc of mass M and radius R about an axis, which is tangential to the circumference of the disc and parallel to its diameter is:
 a) $\frac{5}{4}MR^2$ b) $\frac{1}{2}MR^2$
 c) $\frac{3}{2}MR^2$ d) $\frac{4}{5}MR^2$
- Q118) Which of the following have the same dimensions as planks constant?
 a) Moment of Momentum
 b) Moment of force
 c) Momentum/distance
 d) Force/distance
- Q119) A body under the action of a force $\vec{F} = 6\hat{i} - 8\hat{j} + 10\hat{k}$ acquires an acceleration of 1m/s^2 . The mass of this body must be:
 a) 10 Kg b) 20 Kg
 c) $10\sqrt{2}$ Kg d) $2\sqrt{10}$ Kg
- Q120) If Energy (E), Velocity (V), and Time (T) are chosen as the fundamental quantities. The dimensional formula of Surface Tension is:
 a) $[E V^{-2} T^{-1}]$ b) $[E V^{-1} T^{-2}]$
 c) $[E V^{-2} T^{-2}]$ d) $[E^{-2} V^{-1} T^{-3}]$

SECTION-C CHEMISTRY(121-180)

- Q121) An activating substituent group activates
 a) Ortho position
 b) Para position
 c) Ortho and para positions
 d) Meta position
- Q122) Which among the following does not exhibit geometric isomerism
 a) 1-hexene b) 2-hexene
 c) 3-hexene d) 4-hexene
- Q123) Alkanes undergo halogenation. It is example of
 a) Nucleophilic substitution
 b) Elimination
 c) Free-radical substitution
 d) Electrophilic substitution
- Q124) Select the incorrect statement
 a) The addition reaction occur more frequently in the alkenes than the alkynes
 b) The pi system of the alkynes gets weakened when they lose the pi atom
 c) Alkynes readily undergo oligomerization
 d) Alkynes do not undergo polymerization

- Q125) When phenol is treated with excess bromine water it gives
 a) m-bromophenol
 b) o-and p-bromophenol
 c) 2,4-dibromophenol
 d) 2,4,6 tribromophenol
- Q126) How are alcohols prepared from haloalkanes?
 a) By treating with concentrated H_2SO_4
 b) By heating with aqueous NaOH
 c) By treating with a strong reducing agent
 d) By treating with Mg metal
- Q127) Iodoform can be prepared from all except:
 a) isopropyl alcohol b) 3-methyl-2-butanone
 c) isobutyl alcohol d) ethyl methyl ketone
- Q128) Aqueous NaOH solution is added to a mixture of benzaldehyde and formaldehyde to produce
 a) Benzyl alcohol + sodium formate
 b) Sodium benzoate + methanol
 c) Benzyl alcohol + methanol
 d) Sodium benzoate+sodium formate
- Q129) Carboxylic acid on reduction with HI/ phosphorous yields
 a) Alkane b) Alcohols
 c) Aldehydes d) Ketones
- Q130) What will be the reactivity order of the following with water?
 a) Acid halide > ester > acid anhydride > amide
 b) Acid anhydride > amide > acid halide > ester
 c) Amide > ester > acid anhydride > acid halide
 d) Acid halide > acid anhydride > ester > amide
- Q131) Which of the following is used as a reactant for the nitration of benzene to form nitrobenzene?
 a) HNO_2
 b) HNO_3
 c) Mixture of HNO_2 and HNO_3
 d) Mixture of HNO_3 and H_2SO_4
- Q132) Which of the following statements concerning methylamine is correct?
 a) Methyl amine is stronger base than NH_3
 b) Methyl amine is less basic than NH_3
 c) Methyl amine is slightly acidic
 d) Methyl amine forms salts with alkali
- Q133) Glucose will show mutarotation when solvent is
 a) Acidic b) Basic
 c) Amphoteric d) Neutral
- Q134) Beriberi is caused due by the deficiency of-
 a) Vitamin C b) Vitamin B2
 c) Vitamin B d) Vitamin B1
- Q135) Which of the following Greenhouse Gases is Present in Very High Quantities?
 a) Carbon dioxide b) Ethane
 c) Propane d) Methane
- Q136) Which of the following is not a law of chemical combination?
 a) Law of Multiple Proportions
 b) Avogadro's Law
 c) Law of Definite Proportion
 d) Law of Conservation of volume
- Q137) According to Bohr model of hydrogen atom, relation between principal quantum number n and radius r of stable orbit:
 a) $r \propto \frac{1}{n}$ b) $r \propto n$
 c) $r \propto \frac{1}{n^2}$ d) $r \propto n^2$
- Q138) The position and velocity of small particle like electron cannot be simultaneously determined. This statement is for
 a) Heisenberg uncertainty principle
 b) Principle of de Broglie's wave nature of electron
 c) Pauli's exclusion principle
 d) Aufbau's principle
- Q139) Le Chatelier Principle is applicable to
 a) Heterogeneous reaction
 b) Homogeneous reaction
 c) Irreversible reactions
 d) System in equilibrium
- Q140) Ostwald's dilution law is applicable to
 a) Strong electrolytes only
 b) Weak electrolytes only
 c) Non-electrolytes
 d) Strong as well as weak electrolytes
- Q141) What is the pH of 0.0001molar HCl solution
 a) 1 b) 2
 c) 3 d) 4
- Q142) Which of the following is not a type of Basic buffer mixture?
 a) NH_4OH
 b) NH_4Cl
 c) $H_2CO_3 + Na_2CO_3$
 d) Glycine + Glycine hydrochloride

- Q143) What effect does temperature have on the half-life of a first-order reaction?
 a) It increases
 b) It decreases
 c) It remains the same
 d) Both increases as well as decrease
- Q144) The unit of rate constant for second order reaction is
 a) litre mole⁻² sec⁻² b) litre mole⁻² sec⁻¹
 c) litre d) litre mole⁻¹ sec⁻¹
- Q145) Which condition holds for the ideal solution?
 a) Change in volume is zero
 b) Change in volume is non-zero
 c) Change in enthalpy is non-zero
 d) None of the above
- Q146) The van't Hoff factor for a compound that undergoes dissociation and association in a solvent is respectively
 a) Less than one and less than one
 b) Greater than one and less than one
 c) Greater than one and greater than one
 d) Less than one and Greater than one
- Q147) What will be the value of ΔH , if the forward and reverse reactions have the same energy of activation?
 a) $\Delta H = \Delta G = \Delta S = 0$ b) $\Delta S = 0$
 c) $\Delta G = 0$ d) $\Delta H = 0$
- Q148) Hess's law states that a chemical reaction is independent of the route by which chemical reaction takes place while keeping the same
 a) Initial conditions only
 b) Final conditions only
 c) Mid-conditions
 d) Initial and final conditions
- Q149) The enthalpy of formation of $\text{CO}_2(\text{g})$, $\text{H}_2\text{O}(\text{l})$ and Propene(g) are -395.5, -285.8 and 20.42KJ mol⁻¹ respectively. The enthalpy change for the combustion of cyclopropane at 298K will be(The enthalpy of isomerisation of cyclopropane to propane is -33.0KJ mol⁻¹)
 a) -1021.32 KJ mol⁻¹ b) -20911.32 KJ mol⁻¹
 c) -5021.32 KJ mol⁻¹ d) -3141.32 KJ mol⁻¹
- Q150) The correct relationship between free energy change in a reaction and the corresponding equilibrium constant K_C is
 a) $-\Delta G = RT \ln K_C$ b) $\Delta G^\circ = RT \ln K_C$
 c) $-\Delta G^\circ = RT \ln K_C$ d) $\Delta G = RT \ln K_C$
- Q151) Oxidation number of P in PO_4^{3-} , of S in SO_4^{2-} and that of Cr in $\text{Cr}_2\text{O}_7^{2-}$ are respectively:
 a) +3, +6 and +5 b) +5, +3 and +6
 c) +3, +6 and +6 d) +5, +6 and +6
- Q152) What is the number of electrons transferred in an equation if the Nernst equation is
 $E(\text{cell}) = E^\circ(\text{cell}) - 9.83 \times 10^{-3} \times \log_{10}(\text{Anode/Cathode})?$
 a) 2 b) 6
 c) 4 d) 1
- Q153) Which of the following is a specific conductivity reagent?
 a) *KCl* b) *HCl*
 c) *NaCl* d) *MgCl_2*
- Q154) Schottky defect in a crystal is observed when
 a) The ion leaves its normal position and occupies an interstitial location
 b) The unequal number of cations and anions are missing from the lattice
 c) The density of the crystal increases
 d) An equal number of cations and anions are missing from the lattice
- Q155) What is the process of producing electric dipoles inside the dielectric by an external electric field
 a) Polarisation b) Dipole moment
 c) Susceptibility d) Magnetisation
- Q156) Which of the following metals would have the highest packing efficiency
 a) Copper b) Potassium
 c) Chromium d) Polonium
- Q157) How the crystal classified
 a) According to place of origin
 b) According to the position of the unit cell
 c) According to the symmetry of the unit cell
 d) According to the purity of the unit cell
- Q158) Which of the following isotherm is applicable to physical adsorption?
 a) Langmuir b) BET
 c) Freundlich d) Kisluk
- Q159) Polymers are not classified on the basis of which of the following
 a) Source
 b) Number of monomers
 c) Method of preparation
 d) Structure

- Q160) Which one will have the highest 2nd ionisation energy?
 a) $1s^2 2s^2 2p^6 3s^1$ b) $1s^2 2s^2 2p^4$
 c) $1s^2 2s^2 2p^6$ d) $1s^2 2s^2 2p^6 3s^2$
- Q161) Atomic radii _____ along the periods
 a) Increases b) Decreases
 c) Remains constant d) Irregular
- Q162) Molecular orbitals are filled according to
 a) Aufbau's principle
 b) Hund's rule
 c) Pauli's Exclusion Principle
 d) All these
- Q163) The maximum number of 90° angles between bond pair-bond pair of electrons is observed in
 a) dsp^2 hybridisation b) sp^3d hybridisation
 c) dsp^3 hybridisation d) sp^3d^2 hybridisation
- Q164) In BrF_3 , lone pairs are present at the equatorial positions. This is to minimise
 a) bp-bp repulsion only b) lp-lp repulsion only
 c) lp-bp repulsion only d) both (B) and (C)
- Q165) O-O bond length is minimum in
 a) O_2^- b) O_2
 c) O_2^+ d) O_2^{2-}
- Q166) The flame of caesium is in the colour _____
 a) White b) Red violet
 c) Yellow d) Blue
- Q167) The correct order of thermal stability of following carbonates is:
 a) $BaCO_3 > CaCO_3 > SrCO_3 > MgCO_3$
 b) $BaCO_3 > SrCO_3 > CaCO_3 > MgCO_3$
 c) $MgCO_3 > CaCO_3 > SrCO_3 > BaCO_3$
 d) $MgCO_3 > CaCO_3 > BaCO_3 > SrCO_3$
- Q168) What is the range of oxidation states shown by nitrogen in its oxides?
 a) +1 to +3 b) +2 to +4
 c) +1 to +2 d) +1 to +5
- Q169) Which of the following is the correct order of oxidising power of perhalates
 a) $BrO_4^- > ClO_4^- > IO_4^-$
 b) $IO_4^- > BrO_4^- > ClO_4^-$
 c) $IO_4^- > ClO_4^- > BrO_4^-$
 d) $BrO_4^- > IO_4^- > ClO_4^-$
- Q170) The common oxidation state of Lanthanide is
 a) +1 b) +2
 c) +3 d) +4
- Q171) The colour of transition metal is due to
 a) presence of unpaired d-electron
 b) d-d transition
 c) nature of ligands at geometry of complex
 d) All of the above
- Q172) Which of the following is an alloy of iron?
 a) Vitallium b) Brass
 c) Invar d) Solder
- Q173) Werner postulated that octahedral, tetrahedral and square planer geometrical shapes are more common in coordination compounds of
 a) Alkali metals b) Lanthanides
 c) Actinides d) Transition metals
- Q174) Which of the following is not a subdivision of structural isomerism?
 a) Geometrical isomerism
 b) Linkage isomerism
 c) Coordination isomerism
 d) Ionisation isomerism
- Q175) Which of the following is not considered as an organometallic compound?
 a) Ferrocene b) Cis-platin
 c) Ziese's salt d) Grignard reagent
- Q176) ----- and ----- are ores of copper
 a) Dolomite, bornite
 b) Bornite, chalcopyrite
 c) Chalcopyrite, dolomite
 d) Bornite, magnesite
- Q177) The product from blast furnace is called
 a) Cast iron b) Wrought iron
 c) Pig iron d) Steel
- Q178) IUPAC name of the $(CH_3)_2CHCH(CH_3)_2$ is
 a) 1, 1, 2, 3-tetramethylethane
 b) 1, 2-di-isopropylethane
 c) 2, 3-dimethylbutane
 d) 2, 3, 3-trimethylbutane
- Q179) Baker-Nathan effect is also known as
 a) Hyperconjugation b) Inductive effect
 c) Mesomeric effect d) Electromeric effect
- Q180) Identify the incorrect statement regarding aromaticity.
 a) It is the extra stability possessed by a molecule
 b) p-orbitals must be planar and overlap
 c) Cyclic delocalization takes place
 d) It does not follow Huckel's rule